



MIT Open Access Articles

Search for a Light Charged Higgs Boson Decaying to a W Boson and a CP -Odd Higgs Boson in Final States with $e\mu\mu$ or $\mu\mu\mu$ in Proton-Proton Collisions at $\sqrt{s} = 13$ TeV

The MIT Faculty has made this article openly available. **Please share** how this access benefits you. Your story matters.

As Published	10.1103/PHYSREVLETT.123.131802
Publisher	American Physical Society (APS)
Version	Final published version
Citable link	https://hdl.handle.net/1721.1/133289
Terms of Use	Creative Commons Attribution 4.0 International license
Detailed Terms	https://creativecommons.org/licenses/by/4.0/

Search for a Light Charged Higgs Boson Decaying to a W Boson and a CP -Odd Higgs Boson in Final States with $e\mu\mu$ or $\mu\mu\mu$ in Proton-Proton Collisions at $\sqrt{s} = 13$ TeV

A. M. Sirunyan *et al.**
(CMS Collaboration)

 (Received 18 May 2019; revised manuscript received 19 July 2019; published 23 September 2019)

A search for a light charged Higgs boson (H^+) decaying to a W boson and a CP -odd Higgs boson (A) in final states with $e\mu\mu$ or $\mu\mu\mu$ is performed using data from pp collisions at $\sqrt{s} = 13$ TeV, recorded by the CMS detector at the LHC and corresponding to an integrated luminosity of 35.9 fb^{-1} . In this search, it is assumed that the H^+ boson is produced in decays of top quarks, and the A boson decays to two oppositely charged muons. The presence of signals for H^+ boson masses between 100 and 160 GeV and A boson masses between 15 and 75 GeV is investigated. No evidence for the production of the H^+ boson is found. Upper limits at 95% confidence level are obtained on the combined branching fraction for the decay chain, $t \rightarrow bH^+ \rightarrow bW^+A \rightarrow bW^+\mu^+\mu^-$, of 1.9×10^{-6} to 8.6×10^{-6} , depending on the masses of the H^+ and A bosons. These are the first limits for these decay modes of the H^+ and A bosons.

DOI: [10.1103/PhysRevLett.123.131802](https://doi.org/10.1103/PhysRevLett.123.131802)

The boson with a mass of 125 GeV discovered in 2012 [1–3] is compatible with the Higgs boson predicted by the standard model (SM) [4,5]. However, this particle can also play the role of a Higgs boson in an extended Higgs sector, which is predicted in many new physics scenarios addressing the hierarchy problem [6], CP violation [7], or the mass of neutrinos [8]. As an example, in two Higgs doublet models (2HDMs) [9,10] the 125 GeV boson can be one of the two CP -even Higgs bosons; this class of models also foresees one CP -odd (A) and two charged (H^\pm) Higgs bosons. The observation of additional Higgs bosons would be a clear indication of physics beyond the SM.

We search for an H^+ boson, produced in the decay of a top quark, and decaying to a W^+ boson and an A boson in proton-proton (pp) collisions ($pp \rightarrow t\bar{t} \rightarrow b\bar{b}H^+W^-$ and $H^+ \rightarrow W^+A$). The charge-conjugated decays are implied throughout this Letter. This production and decay mode of the H^+ boson can be the most dominant one at the LHC if the H^+ boson is lighter than the top quark [11–14]. This is the first search of this kind at the LHC. The decay mode $H^+ \rightarrow W^+A$ in top quark pair events for the mass range $m_W < m_{H^+} < m_t - m_b$ has been studied by the CDF Collaboration assuming that the A boson decays to $b\bar{b}$ or $\tau^-\tau^+$ within specific benchmark scenarios [15,16]. The LEP experiments searched for pair production of H^+ bosons in the decay

mode $H^+ \rightarrow W^{+(*)}A$ with $A \rightarrow b\bar{b}$, where an accessible mass range was $m_{H^+} \lesssim 100$ GeV [17–19].

In this Letter, we consider ranges of m_A from 15 to 75 GeV and m_{H^+} from $(m_A + 85 \text{ GeV})$ to 160 GeV. The transverse momenta (p_T) of the A boson decay products in this mass region are typically as low as 10–40 GeV. We target the $A \rightarrow \mu^+\mu^-$ decay mode, as the use of muons at this energy scale has advantages over using jets or τ leptons in terms of identification efficiency, momentum resolution, and robustness against the number of additional pp collisions in a single bunch crossing (pileup) [20–22]. Even though the branching fraction of the A boson, $\mathcal{B}(A \rightarrow \mu^+\mu^-)$, is expected to be small ($\lesssim 10^{-3}$) in models such as 2HDMs with a softly broken \mathbb{Z}_2 symmetry [23], the experimental advantages offer a unique opportunity to probe the $H^+ \rightarrow W^+A$ decay.

For the W bosons, the decay modes $WW \rightarrow \ell\nu q\bar{q}'$ ($\ell = e$ or μ) are considered. The major background for this search is $t\bar{t}$ production with at least one lepton originating from jets. Because of the poor resolution of the reconstructed m_{H^+} in the probed mass region, the presence of an excess is investigated in the $\mu^+\mu^-$ invariant mass distribution. The search is performed using the pp collision data at $\sqrt{s} = 13$ TeV recorded by the CMS detector at the LHC in 2016. The corresponding integrated luminosity is 35.9 fb^{-1} .

The central feature of the CMS apparatus is a superconducting solenoid of 6 m internal diameter, providing a magnetic field of 3.8 T. Within the solenoid volume are a silicon pixel and strip tracker, a lead tungstate crystal electromagnetic calorimeter, and a brass and scintillator hadron calorimeter, each composed of a barrel and two end cap sections. Forward calorimeters extend the pseudorapidity (η)

*Full author list given at the end of the article.

Published by the American Physical Society under the terms of the [Creative Commons Attribution 4.0 International license](https://creativecommons.org/licenses/by/4.0/). Further distribution of this work must maintain attribution to the author(s) and the published article's title, journal citation, and DOI. Funded by SCOAP³.

coverage provided by the barrel and end cap detectors. Muons are detected in gas-ionization chambers embedded in the steel flux-return yoke outside the solenoid. A more detailed description of the CMS detector, as well as definitions of the coordinate system used, can be found in Ref. [24].

The reconstructed vertex with the largest value of summed p_T^2 of physics objects is taken to be the relevant primary pp interaction vertex [25]. The physics objects are the track-based jets, clustered using the anti- k_T algorithm with a distance parameter of 0.4 [26,27] and the tracks assigned to the vertex as inputs, and the associated track-based missing transverse momentum, taken as the negative vector p_T sum of those jets.

The global event reconstruction is based on the particle-flow algorithm [20]. The algorithm aims to reconstruct and identify each individual particle in an event, with an optimized combination of information from the various elements of the CMS detector. The reconstructed particles are classified as either photons, electrons, muons, or charged or neutral hadrons.

The reconstructed leptons (electrons or muons) are discriminated from nonprompt leptons using tight identification criteria. Nonprompt leptons refer to leptons originating from decays of hadrons or hadrons misidentified as leptons, and prompt leptons refer to leptons from decays of W , Z , and A bosons, which also include leptons from decays of τ leptons originating from these bosons. Semileptonic decays of B hadrons inside jets are the major source of nonprompt leptons in this search. Electron candidates with $p_T > 25$ GeV and within the tracker coverage ($|\eta| < 2.5$), excluding the gap between the barrel and end cap calorimeters ($1.44 < |\eta| < 1.57$), are identified using a multivariate method trained with the track and calorimetric features of electrons as inputs [28]. Electrons from photon conversions are rejected using the information on missing hits in the innermost layers of the tracker and the quality of a fit to a conversion vertex [28]. Muon candidates with $p_T > 10$ GeV within the coverage of the muon detector system ($|\eta| < 2.4$) are considered for further identification. For the muon tracks, requirements are placed on the number of hits in the pixel detector, the strip tracker, the muon spectrometer, and the quality of the muon track fit [21]. The transverse (longitudinal) impact parameters $|d_0|$ ($|d_z|$) of leptons [21,28] are required to be less than 0.25 (1.0) mm for electrons and 0.1 (0.5) mm for muons, and the $|d_0|$ value divided by its uncertainty is required to be less than 4 for both lepton flavors. The isolation (I_{rel}), which is defined as the ratio of the scalar p_T sum of hadrons and photons, within a cone of $\Delta R = \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2} < 0.3$ (0.4) around a lepton, to the lepton p_T , is required to be at most 0.06 (0.20) for electrons (muons) after correcting for the contribution from pileup [21,28].

Apart from these tight identification criteria, loose identification criteria are used for the estimation of background from control samples in data and as a part of the jet

and lepton veto criteria. For these purposes, relaxed criteria on the p_T of electrons (> 10 GeV), the multivariate discriminant of electrons, the muon track fit, the impact parameters of muons ($|d_0| < 2$ mm, $|d_z| < 1$ mm), and the isolation of electrons (muons) [$I_{\text{rel}} < 0.4$ (0.6)] are imposed.

The reconstructed particles are used to form jets and the missing transverse momentum \vec{p}_T^{miss} . Charged hadrons incompatible with the primary vertex are not considered in the jet reconstruction, and the average neutral pileup contribution is subtracted from the jets [20]. Jets with $p_T > 25$ GeV within $|\eta| < 2.4$, which are not in close proximity to any loosely identified lepton [$\Delta R(j, \ell) > 0.4$], are used in this search. The jets originating from b quarks are identified using the combined secondary vertex algorithm $v2$ [29], and they are referred to as b -tagged jets. The used working point assures an identification efficiency (misidentification probability) of $\simeq 63(1)\%$ for jets originating from b quarks (u , d , s quarks or gluons). The \vec{p}_T^{miss} is defined as the negative vector p_T sum of all the reconstructed particles in an event [20].

The search is performed using events with two oppositely charged muons and one additional lepton (electron or muon) in the final state. Signal candidate events are first selected using dilepton triggers [30]. Electron-dimuon events are selected by triggers that require the presence of an electron with $p_T > 23$ GeV and a muon with $p_T > 8$ GeV. Trimuon events are selected by triggers that require the presence of two muons with $p_T > 17(8)$ GeV for the leading (subleading) muon. The trigger requirements on the leading (subleading) lepton target the lepton from the W (A) boson. To ensure that the candidate events pass the trigger requirements, an offline condition of $p_T > 20$ GeV is required for the leading muon in trimuon events. Events with exactly three leptons passing the tight identification criteria are used in the search, and events with additional loosely identified leptons are rejected.

Additional conditions are imposed on the candidate events to reduce background contributions. All oppositely charged muon pairs in each event should have an invariant mass satisfying $m_{\mu\mu} > 12$ GeV and $|m_{\mu\mu} - m_Z| > 10$ GeV to suppress background processes from the decays of vector mesons or Z bosons. At least two jets, of which at least one is b tagged, are required to remove background contributions not involving b quarks. The remaining background events are expected to be mostly from the $t\bar{t}$ production where at least one nonprompt lepton originates from a jet, with small contributions from other SM processes involving W/Z bosons or photon conversions.

The invariant mass of two oppositely charged muons is used to reconstruct the A boson signal. In trimuon events, this muon pair is selected using the muon p_T and the transverse mass, defined as $m_T(\vec{p}_T^\mu, \vec{p}_T^{\text{miss}}) = \sqrt{2(|\vec{p}_T^\mu| |\vec{p}_T^{\text{miss}}| - \vec{p}_T^\mu \cdot \vec{p}_T^{\text{miss}})}$, where \vec{p}_T^μ is the transverse momentum of the muon. The values of p_T and

$m_T(\vec{p}_T^\mu, \vec{p}_T^{\text{miss}})$ are typically lower for muons from A bosons than from W bosons. Among two same-charge muons in the trimuon events, the muon with lower (higher) p_T is assigned to the A (W) boson. However, if the difference in p_T between these two muons is smaller than 25 GeV and only one of them satisfies $50 < m_T(\vec{p}_T^\mu, \vec{p}_T^{\text{miss}}) < 120$ GeV, consistent with that of a muon from a W boson, then the other muon is assigned to the A boson. The muons are correctly assigned to their true origins in 59%–84% of the events, depending on the m_A and m_{H^+} values. The variation of the efficiency to correctly assign a muon to its mother boson is mainly due to the variation of the p_T of muons from A bosons, and the efficiency is lowest when $m_A \approx m_W$.

Signal processes are modeled at leading order (LO) in quantum chromodynamics (QCD) with MadGraph5_{amc@nlo} v2.4.2 [31]. As the branching fraction $\mathcal{B}(t \rightarrow bH^+)$ is not expected to be large [32–34], the decay channel $t\bar{t} \rightarrow b\bar{b}H^+H^-$ is not considered in the simulation. All possible decay channels of the two W bosons are allowed, except processes where both bosons decay to quarks, and the corresponding branching fractions are taken from Ref. [35]. The mass of the top quark is set to 172.5 GeV. Since the widths of the H^+ and A bosons are expected to be small in many scenarios [23], we set their widths to 1 MeV. The width value is less than 1% of the detector resolution for an $m_{\mu\mu}$ value which varies between 0.15 and 0.88 GeV in the range of m_A considered. Signal processes are simulated for 28 mass points in the search region, and the selection efficiencies at intermediate mass values are determined by interpolation.

Backgrounds containing at least three prompt leptons or two prompt leptons and one lepton from a photon conversion are estimated from simulation. Diboson processes (WZ/ZZ), and SM Higgs boson processes with and without $t\bar{t}$ are simulated at next-to-leading order (NLO) in QCD with POWHEG v2 [36–42]. Other processes are simulated using MadGraph5_{amc@nlo}. The $t\bar{t}W$ and $t\bar{t}Z$ processes are simulated at LO precision in QCD with up to two additional partons and the MLM jet merging algorithm [43]. Production of tZ , triboson ($WWW/WWZ/WZZ/ZZZ$), $Z\gamma$, and $t\bar{t}\gamma$ is simulated at NLO precision in QCD with up to one additional parton and the FxFx jet merging algorithm [44]. The background processes are normalized using theoretical cross sections at next-to-next-to-leading order (NNLO) or NLO in QCD [31,45–47]. In the case of the $Z\gamma$ process, the normalization factor is measured using a control sample of data events [48].

For both the signal and background simulations, the NNPDF3.0 set is used for parton distribution functions (PDFs) [49]. Pileup interactions, parton showers, and hadronization are simulated with PYTHIA 8.212 [50], and the simulation of the underlying event is tuned with CUETP8M1 [51]. All simulated events are passed through the GEANT4 -based CMS detector simulation [52].

The background yields from processes involving at least one nonprompt lepton from a jet (nonprompt background) are estimated with the tight-to-loose ratio method [53]. The method estimates the nonprompt background by applying extrapolation factors on the events with leptons failing the tight identification criteria but passing the loose identification criteria. The extrapolation factors are calculated from the probability of loosely identified leptons from jets to pass the tight identification (tight-to-loose ratio), measured using a control sample enriched with QCD multijet events containing a nonprompt lepton. The tight-to-loose ratio varies between 0.11 and 0.39 (0.071 and 0.14) for muons (electrons), depending on the p_T , η , and I_{rel} of the lepton. The validity of the background estimation is verified in samples enriched with nonprompt leptons from $t\bar{t}$ events and a simulated sample of $t\bar{t}$ events with at least one nonprompt lepton.

The presence of a signal in the $m_{\mu\mu}$ distribution is inspected by comparing the event yield in the data to that of the estimated backgrounds, within a mass window specific to each value of m_A . The predicted background distribution in the mass window and sidebands, defined as a mass range between the window edge and up to 5 GeV away from the window center, is approximated by a linear function to estimate the background yield in each signal mass window. The widths (w) of the mass windows are optimized to maximize the median significance, $\sqrt{2[(n_s + n_b) \ln(1 + n_s/n_b) - n_s]}$ [54], where n_s and n_b are the numbers of expected signal and background events in the window. The assumed signal rate for this criterion barely affects the optimization. The width of the signal window is optimized in intervals of 10 GeV. Within each interval, the windows are positioned in steps of 0.45–1.15 GeV with linearly increasing widths. Each window is assigned an index from 1 to 95, increasing with the value of $m_{\mu\mu}$ at the window center, as shown in Table I.

The $m_{\mu\mu}$ distribution of candidate muon pairs from A bosons is shown in Fig. 1. The corresponding figures, event yields in the mass windows, and signal efficiencies for individual final states are available in the Supplemental Material [55]. In the presence of a signal, an excess in the

TABLE I. Summary of mass windows ($|m_{\mu\mu} - m_A| < w$) for each m_A hypothesis.

m_A range (GeV)	[15, 25)	[25, 35)	[35, 45)	[45, 55)	[55, 65)	[65, 75)	75
Window index	1–23	24–42	43–59	60–73	74–85	86–94	95
m_A step (GeV)	0.45	0.55	0.6	0.75	0.9	1.15	...
w (GeV)	[0.5, 0.7)	[0.7, 0.8)	[0.8, 1.0)	[1.0, 1.2)	[1.2, 1.5)	[1.5, 1.8)	1.8
$m_{\mu\mu}$ resolution (GeV)	[0.15, 0.28)	[0.28, 0.40)	[0.40, 0.52)	[0.52, 0.64)	[0.64, 0.76)	[0.76, 0.88)	0.88




FIG. 1. The $m_{\mu\mu}$ distribution of candidate muon pairs from A bosons in the $e\mu\mu$ and $\mu\mu\mu$ final states. A constant bin size (1 GeV) is used in the figure except for the last bin of $[80, 81.2]$ (GeV). The expected signal distribution for $m_{H^+} = 130$ and $m_A = 45$ GeV is also shown on top of the expected backgrounds assuming $\sigma(t\bar{t}) = 832$ pb and $\mathcal{B}(t \rightarrow bH^+)\mathcal{B}(H^+ \rightarrow W^+A)\mathcal{B}(A \rightarrow \mu^+\mu^-) = 6 \times 10^{-6}$.

yield is expected in a narrow range around m_A above a smooth background, as shown for $m_A = 45$ GeV in the figure. Differential event rates of the nonresonant distribution from incorrectly selected pairs are negligible when compared to the resonant part from the correct assignment, leading to the $m_{\mu\mu}$ distribution of a signal mainly determined by the m_A value.

No evidence of a signal is observed in the $m_{\mu\mu}$ spectrum. Upper limits at 95% confidence level (C.L.) on the product of branching fractions, $\mathcal{B}_{\text{sig}} = \mathcal{B}(t \rightarrow bH^+)\mathcal{B}(H^+ \rightarrow W^+A)\mathcal{B}(A \rightarrow \mu^+\mu^-)$, are set, using the CL_s criterion [56–58], based on the combined likelihood of event yields in the mass windows from the $e\mu\mu$ and $\mu\mu\mu$ channels. In the calculation, the $t\bar{t}$ production cross section is set to the SM prediction of 832 pb, computed at NNLO in QCD, including soft-gluon resummation to next-to-next-to-leading logarithmic order [59]. The systematic uncertainties are treated as nuisance parameters with a log-normal distribution for their likelihood. Typical magnitudes of an overall uncertainty are 30% for the backgrounds and 7% for the signal. The impact of the systematic uncertainties on the result is small because of the large statistical uncertainty of the data.

The largest source of uncertainty arises from the estimation of the nonprompt lepton background, which is determined from both simulation and data. In the simulation, a comparison is performed between the yield of simulated $t\bar{t}$ events passing the event selection and the calculated yield from the tight-to-loose ratio method applied to the simulated $t\bar{t}$ sample. The tight-to-loose ratio from simulated multijet events is used in the calculation. The two values agree within 27% (23%) in the $e\mu\mu$ ($\mu\mu\mu$) channel. In the data, the dependence of the tight-to-loose ratio arising from uncertainties in the jet energy scale, the flavor of the parton that generates the nonprompt lepton,

and the estimation of the prompt lepton contribution in the control sample for the measurement of the tight-to-loose ratio are considered. The first two sources are examined by varying the p_T selection applied to the jets or by requiring the presence of a b -tagged jet in the sample, and the last source is examined by varying the normalization of the residual prompt lepton contribution by its own uncertainty. The impact of each variation on the prediction is observed to be 7%, 13%, and 3%, respectively, and it results in a total variation of 15%, when added in quadrature. Reflecting the observed differences, a systematic uncertainty of 30% is assigned for this background.

Subleading sources of uncertainty arise from the limited sample size for the estimation of the nonprompt lepton background (20%) and from the interpolation used in the determination of signal efficiency (5%). The systematic uncertainties associated with the modeling of the backgrounds using the sidebands and other experimental and theoretical sources are also examined. However, their magnitude is observed to be negligible compared to those of the aforementioned sources. These include the lepton identification efficiency, trigger efficiency, b tagging efficiency [29], the energy scale and resolution of leptons and jets [21,28,60], the momentum scale of unclustered objects that affects \vec{p}_T^{miss} [61], the integrated luminosity measurement [62], the total inelastic pp cross section that affects the pileup modeling in simulation, the measured normalization factor of $Z\gamma$ processes, the choice of PDFs, and factorization and renormalization scales that affect the normalization of simulated samples and signal acceptances [45–47,63].

The expected and observed upper limits on \mathcal{B}_{sig} for the 95 m_A values defined in Table I are shown in Fig. 2. The




FIG. 2. Expected and observed upper limits at 95% C.L. on \mathcal{B}_{sig} for the m_A values defined in Table I, with an assumption of $m_{H^+} = m_A + 85$ GeV (upper) or $m_{H^+} = 160$ GeV (lower). The green (yellow) bands indicate the regions containing 68% (95%) of the limit values expected under the background-only hypothesis.

corresponding limits for individual final states are available in the Supplemental Material [55]. The limits are presented as a function of m_A for two H^+ boson masses, $m_{H^+} = m_A + 85$ GeV and $m_{H^+} = 160$ GeV. The difference of the limits for the two m_{H^+} values is smaller than their uncertainties. Short-range bin-to-bin correlations originate from the overlap between neighboring search windows. The observed upper limit on \mathcal{B}_{sig} varies between 1.9×10^{-6} and 8.6×10^{-6} depending on the assumed values of m_{H^+} and m_A , and $\mathcal{B}_{\text{sig}} > 8.6 \times 10^{-6}$ is excluded at 95% C.L. in the entire search region. These are the first limits on the combined branching fraction for the decay chain, $t \rightarrow bH^+ \rightarrow bW^+A \rightarrow bW^+\mu^+\mu^-$. In type-I/II 2HDMs [13,14] or the next-to-minimal supersymmetric SM [11,12] where $\mathcal{B}(A \rightarrow \mu^+\mu^-) \approx 3 \times 10^{-4}$ holds [23,64], these upper limits on \mathcal{B}_{sig} impose a constraint $\mathcal{B}(t \rightarrow bH^+)\mathcal{B}(H^+ \rightarrow W^+A) \lesssim 2.9\%$ at 95% C.L., more stringent than the previous results reported by the CDF Collaboration, using different decay modes of the A boson [15,16].

In summary, a search is performed for a charged Higgs boson H^+ , produced in the decay of a top quark, and decaying further into a W boson and a CP-odd Higgs boson A, where the A boson decays to two muons. The analysis uses proton-proton collision data at $\sqrt{s} = 13$ TeV, recorded by the CMS experiment, corresponding to an integrated luminosity of 35.9 fb^{-1} . A resonant signature in the dimuon mass spectrum is searched in trilepton events for the ranges of m_A between 15 and 75 GeV and m_{H^+} between $(m_A + 85 \text{ GeV})$ and 160 GeV. No statistically significant excess is found. Upper limits at 95% confidence level on the product of branching fractions, $\mathcal{B}(t \rightarrow bH^+)\mathcal{B}(H^+ \rightarrow W^+A)\mathcal{B}(A \rightarrow \mu^+\mu^-)$, of 1.9×10^{-6} to 8.6×10^{-6} are obtained, depending on the masses of the H^+ and A bosons. The reported analysis constitutes the first search for the $H^+ \rightarrow W^+A$ process in the $A \rightarrow \mu^+\mu^-$ decay channel.

We congratulate our colleagues in the CERN accelerator departments for the excellent performance of the LHC and thank the technical and administrative staffs at CERN and at other CMS institutes for their contributions to the success of the CMS effort. In addition, we gratefully acknowledge the computing centers and personnel of the Worldwide LHC Computing Grid for so effectively delivering the computing infrastructure essential to our analyses. Finally, we acknowledge the enduring support for the construction and operation of the LHC and the CMS detector provided by the following funding agencies: BMBWF and FWF (Austria); FNRS and FWO (Belgium); CNPq, CAPES, FAPERJ, FAPERGS, and FAPESP (Brazil); MES (Bulgaria); CERN; CAS, MoST, and NSFC (China); COLCIENCIAS (Colombia); MSES and CSF (Croatia); RPF (Cyprus); SENESCYT (Ecuador); MoER, ERC IUT, PUT, and ERDF (Estonia); Academy of Finland, MEC, and HIP (Finland); CEA and CNRS/IN2P3 (France); BMBF,

DFG, and HGF (Germany); GSRT (Greece); NKFIA (Hungary); DAE and DST (India); IPM (Iran); SFI (Ireland); INFN (Italy); MSIP and NRF (Republic of Korea); MES (Latvia); LAS (Lithuania); MOE and UM (Malaysia); BUAP, CINVESTAV, CONACYT, LNS, SEP, and UASLP-FAI (Mexico); MOS (Montenegro); MBIE (New Zealand); PAEC (Pakistan); MSHE and NSC (Poland); FCT (Portugal); JINR (Dubna); MON, RosAtom, RAS, RFBR, and NRC KI (Russia); MESTD (Serbia); SEIDI, CPAN, PCTI, and FEDER (Spain); MOSTR (Sri Lanka); Swiss Funding Agencies (Switzerland); MST (Taipei); ThEPCenter, IPST, STAR, and NSTDA (Thailand); TUBITAK and TAEK (Turkey); NASU and SFFR (Ukraine); STFC (United Kingdom); DOE and NSF (USA).

-
- [1] ATLAS Collaboration, Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC, *Phys. Lett. B* **716**, 1 (2012).
 - [2] CMS Collaboration, Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC, *Phys. Lett. B* **716**, 30 (2012).
 - [3] CMS Collaboration, Observation of a new boson with mass near 125 GeV in pp collisions at $\sqrt{s} = 7$ and 8 TeV, *J. High Energy Phys.* **06** (2013) 081.
 - [4] ATLAS and CMS Collaborations, Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at $\sqrt{s} = 7$ and 8 TeV, *J. High Energy Phys.* **08** (2016) 045.
 - [5] CMS Collaboration, Combined measurements of Higgs boson couplings in proton-proton collisions at $\sqrt{s} = 13$ TeV, *Eur. Phys. J. C* **79**, 421 (2019).
 - [6] H. E. Haber and G. L. Kane, The search for supersymmetry: Probing physics beyond the standard model, *Phys. Rep.* **117**, 75 (1985).
 - [7] N. Turok and J. Zadrozny, Dynamical Generation of Baryons at the Electroweak Transition, *Phys. Rev. Lett.* **65**, 2331 (1990).
 - [8] G. B. Gelmini and M. Roncadelli, Left-handed neutrino mass scale and spontaneously broken lepton number, *Phys. Lett. B* **99**, 411 (1981).
 - [9] T. D. Lee, A theory of spontaneous T violation, *Phys. Rev. D* **8**, 1226 (1973).
 - [10] G. C. Branco, P. M. Ferreira, L. Lavoura, M. N. Rebelo, M. Sher, and J. P. Silva, Theory and phenomenology of two-Higgs-doublet models, *Phys. Rep.* **516**, 1 (2012).
 - [11] J. Rathsmann and T. Rössler, Closing the window on light charged Higgs bosons in the NMSSM, *Adv. High Energy Phys.* **2012**, 853706 (2012).
 - [12] R. Dermisek, E. Lunghi, and A. Raval, Trilepton signatures of light charged and CP-odd Higgs bosons in top quark decays, *J. High Energy Phys.* **04** (2013) 063.
 - [13] F. Kling, A. Pyarelal, and S. Su, Light charged Higgs bosons to AW/HW via top decay, *J. High Energy Phys.* **11** (2015) 051.

- [14] A. Arhrib, R. Benbrik, and S. Moretti, Bosonic decays of charged Higgs bosons in a 2HDM type-I, *Eur. Phys. J. C* **77**, 621 (2017).
- [15] A. Abulencia *et al.* (CDF Collaboration), Search for Charged Higgs Bosons from Top Quark Decays in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ TeV, *Phys. Rev. Lett.* **96**, 042003 (2006).
- [16] T. Aaltonen *et al.* (CDF Collaboration), Search for a Very Light CP -Odd Higgs Boson in Top Quark Decays from $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ TeV, *Phys. Rev. Lett.* **107**, 031801 (2011).
- [17] J. Abdallah *et al.* (DELPHI Collaboration), Search for charged Higgs bosons at LEP in general two Higgs doublet models, *Eur. Phys. J. C* **34**, 399 (2004).
- [18] G. Abbiendi *et al.* (OPAL Collaboration), Search for charged Higgs bosons in e^+e^- collisions at $\sqrt{s} = 189$ – 209 GeV, *Eur. Phys. J. C* **72**, 2076 (2012).
- [19] ALEPH, DELPHI, L3, and OPAL Collaborations and LEP working group for Higgs boson searches, Search for charged Higgs bosons: combined results using LEP data, *Eur. Phys. J. C* **73**, 2463 (2013).
- [20] CMS Collaboration, Particle-flow reconstruction and global event description with the CMS detector, *J. Instrum.* **12**, P10003 (2017).
- [21] CMS Collaboration, Performance of the CMS muon detector and muon reconstruction with proton-proton collisions at $\sqrt{s} = 13$ TeV, *J. Instrum.* **13**, P06015 (2018).
- [22] M. Cacciari and G. P. Salam, Pileup subtraction using jet areas, *Phys. Lett. B* **659**, 119 (2008).
- [23] M. Aoki, S. Kanemura, K. Tsumura, and K. Yagyu, Models of Yukawa interaction in the two Higgs doublet model, and their collider phenomenology, *Phys. Rev. D* **80**, 015017 (2009).
- [24] CMS Collaboration, The CMS experiment at the CERN LHC, *J. Instrum.* **3**, S08004 (2008).
- [25] CMS Collaboration, Technical proposal for the Phase-II upgrade of the compact muon solenoid, CMS technical proposal, CERN Reports No. CERN-LHCC-2015-010 and No. CMS-TDR-15-02 (2015).
- [26] M. Cacciari, G. P. Salam, and G. Soyez, The anti- k_T jet clustering algorithm, *J. High Energy Phys.* **04** (2008) 063.
- [27] M. Cacciari, G. P. Salam, and G. Soyez, FastJet user manual, *Eur. Phys. J. C* **72**, 1896 (2012).
- [28] CMS Collaboration, Performance of electron reconstruction and selection with the CMS detector in proton-proton collisions at $\sqrt{s} = 8$ TeV, *J. Instrum.* **10**, P06005 (2015).
- [29] CMS Collaboration, Identification of heavy-flavour jets with the CMS detector in pp collisions at 13 TeV, *J. Instrum.* **13**, P05011 (2018).
- [30] CMS Collaboration, The CMS trigger system, *J. Instrum.* **12**, P01020 (2017).
- [31] J. Alwall, R. Frederix, S. Frixione, V. Hirschi, F. Maltoni, O. Mattelaer, H.-S. Shao, T. Stelzer, P. Torrielli, and M. Zaro, The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations, *J. High Energy Phys.* **07** (2014) 079.
- [32] CMS Collaboration, Measurement of the $t\bar{t}$ production cross section in the dilepton channel in pp collisions at $\sqrt{s} = 8$ TeV, *J. High Energy Phys.* **02** (2014) 024; Erratum, *J. High Energy Phys.* **02** (2014) 102(E).
- [33] CMS Collaboration, Measurement of the $t\bar{t}$ production cross section in the all-jets final state in pp collisions at $\sqrt{s} = 8$ TeV, *Eur. Phys. J. C* **76**, 128 (2016).
- [34] CMS Collaboration, Measurements of the $t\bar{t}$ production cross section in lepton + jets final states in pp collisions at 8 TeV and ratio of 8 to 7 TeV cross sections, *Eur. Phys. J. C* **77**, 15 (2017).
- [35] Particle Data Group, Review of particle physics, *Phys. Rev. D* **98**, 030001 (2018).
- [36] P. Nason, A new method for combining NLO QCD with shower Monte Carlo algorithms, *J. High Energy Phys.* **11** (2004) 040.
- [37] S. Frixione, P. Nason, and C. Oleari, Matching NLO QCD computations with parton shower simulations: The POWHEG method, *J. High Energy Phys.* **11** (2007) 070.
- [38] S. Alioli, P. Nason, C. Oleari, and E. Re, NLO Higgs boson production via gluon fusion matched with shower in POWHEG, *J. High Energy Phys.* **04** (2009) 002.
- [39] P. Nason and C. Oleari, NLO Higgs boson production via vector-boson fusion matched with shower in POWHEG, *J. High Energy Phys.* **02** (2010) 037.
- [40] S. Alioli, P. Nason, C. Oleari, and E. Re, A general framework for implementing NLO calculations in shower Monte Carlo programs: The POWHEG BOX, *J. High Energy Phys.* **06** (2010) 043.
- [41] P. Nason and G. Zanderighi, W^+W^- , WZ and ZZ production in the POWHEG-BOX-V2, *Eur. Phys. J. C* **74**, 2702 (2014).
- [42] H. B. Hartanto, B. Jager, L. Reina, and D. Wackerroth, Higgs boson production in association with top quarks in the POWHEG BOX, *Phys. Rev. D* **91**, 094003 (2015).
- [43] J. Alwall, S. Hoeche, F. Krauss, N. Lavesson, L. Lonnblad, F. Maltoni, M. L. Mangano, M. Moretti, C. G. Papadopoulos, F. Piccinini, S. Schumann, M. Treccani, J. Winter, and M. Worek, Comparative study of various algorithms for the merging of parton showers and matrix elements in hadronic collisions, *Eur. Phys. J. C* **53**, 473 (2008).
- [44] R. Frederix and S. Frixione, Merging meets matching in MC@NLO, *J. High Energy Phys.* **12** (2012) 061.
- [45] F. Cascioli, T. Gehrmann, M. Grazzini, S. Kallweit, P. Maierhöfer, A. von Manteuffel, S. Pozzorini, D. Rathlev, L. Tancredi, and E. Weihs, ZZ production at hadron colliders in NNLO QCD, *Phys. Lett. B* **735**, 311 (2014).
- [46] M. Grazzini, S. Kallweit, D. Rathlev, and M. Wiesemann, $W^\pm Z$ production at hadron colliders in NNLO QCD, *Phys. Lett. B* **761**, 179 (2016).
- [47] LHC Higgs Cross Section Working Group, Handbook of LHC Higgs cross sections: 4. Deciphering the nature of the Higgs sector, CERN Report No. CERN-2017-002-M, 2017.
- [48] CMS Collaboration, Search for Evidence of the Type-III Seesaw Mechanism in Multilepton Final States in Proton-Proton Collisions at $\sqrt{s} = 13$ TeV, *Phys. Rev. Lett.* **119**, 221802 (2017).
- [49] R. D. Ball *et al.* (NNPDF Collaboration), Parton distributions for the LHC Run II, *J. High Energy Phys.* **04** (2015) 040.
- [50] T. Sjöstrand, S. Ask, J. R. Christiansen, R. Corke, N. Desai, P. Ilten, S. Mrenna, S. Prestel, C. O. Rasmussen, and P. Z. Skands, An introduction to PYTHIA 8.2, *Comput. Phys. Commun.* **191**, 159 (2015).

- [51] CMS Collaboration, Event generator tunes obtained from underlying event and multiparton scattering measurements, *Eur. Phys. J. C* **76**, 155 (2016).
- [52] S. Agostinelli *et al.* (GEANT4 Collaboration), GEANT4—a simulation toolkit, *Nucl. Instrum. Methods Phys. Res., Sect. A* **506**, 250 (2003).
- [53] CMS Collaboration, Search for new physics in same-sign dilepton events in proton-proton collisions at $\sqrt{s} = 13$ TeV, *Eur. Phys. J. C* **76**, 439 (2016).
- [54] G. Cowan, K. Cranmer, E. Gross, and O. Vitells, Asymptotic formulae for likelihood-based tests of new physics, *Eur. Phys. J. C* **71**, 1554 (2011); Erratum, *Eur. Phys. J. C* **73**, 2501(E) (2013).
- [55] See Supplemental Material at <http://link.aps.org/supplemental/10.1103/PhysRevLett.123.131802> for figures with the signal efficiencies, $m_{\mu\mu}$ distributions, event yields in the mass windows, and upper limits on \mathcal{B}_{sig} for individual final states.
- [56] T. Junk, Confidence level computation for combining searches with small statistics, *Nucl. Instrum. Methods Phys. Res., Sect. A* **434**, 435 (1999).
- [57] A. L. Read, Presentation of search results: The CL_s technique, *J. Phys. G* **28**, 2693 (2002).
- [58] ATLAS and CMS Collaborations and LHC Higgs Combination Group, Procedure for the LHC Higgs boson search combination in summer 2011, CERN Technical Reports No. CMS-NOTE-2011-005, No. ATL-PHYS-PUB-2011-11, 2011.
- [59] M. Czakon and A. Mitov, Top++: A program for the calculation of the top-pair cross-section at hadron colliders, *Comput. Phys. Commun.* **185**, 2930 (2014).
- [60] CMS Collaboration, Jet energy scale and resolution in the CMS experiment in pp collisions at 8 TeV, *J. Instrum.* **12**, P02014 (2017).
- [61] CMS Collaboration, Performance of missing energy reconstruction in 13 TeV pp collision data using the CMS detector, CMS physics analysis summary, CERN Report No. CMS-PAS-JME-16-004, 2016.
- [62] CMS Collaboration, CMS luminosity measurements for the 2016 data-taking period, CMS physics analysis summary, CERN Report No. CMS-PAS-LUM-17-001, 2017.
- [63] J. Butterworth *et al.*, PDF4LHC recommendations for LHC run II, *J. Phys. G* **43**, 023001 (2016).
- [64] M. M. Almarashi, Discovery potential of the NMSSM CP -odd Higgs at the LHC, *Results Phys.* **10**, 799 (2018).

A. M. Sirunyan,^{1,a} A. Tumasyan,¹ W. Adam,² F. Ambrogio,² T. Bergauer,² J. Brandstetter,² M. Dragicevic,² J. Erö,² A. Escalante Del Valle,² M. Flechl,² R. Frühwirth,^{2,b} M. Jeitler,^{2,b} N. Krammer,² I. Krätschmer,² D. Liko,² T. Madlener,² I. Mikulec,² N. Rad,² J. Schieck,^{2,b} R. Schöfbeck,² M. Spanring,² D. Spitzbart,² W. Waltenberger,² J. Wittmann,² C.-E. Wulz,^{2,b} M. Zarucki,² V. Drugakov,³ V. Mossolov,³ J. Suarez Gonzalez,³ M. R. Darwish,⁴ E. A. De Wolf,⁴ D. Di Croce,⁴ X. Janssen,⁴ J. Lauwers,⁴ A. Lelek,⁴ M. Pieters,⁴ H. Van Haevermaet,⁴ P. Van Mechelen,⁴ S. Van Putte,⁴ N. Van Remortel,⁴ F. Blekman,⁵ E. S. Bols,⁵ S. S. Chhibra,⁵ J. D’Hondt,⁵ J. De Clercq,⁵ G. Flouris,⁵ D. Lontkovskiy,⁵ S. Lowette,⁵ I. Marchesini,⁵ S. Moortgat,⁵ L. Moreels,⁵ Q. Python,⁵ K. Skovpen,⁵ S. Tavernier,⁵ W. Van Doninck,⁵ P. Van Mulders,⁵ I. Van Parijs,⁵ D. Beghin,⁶ B. Bilin,⁶ H. Brun,⁶ B. Clerbaux,⁶ G. De Lentdecker,⁶ H. Delannoy,⁶ B. Dorney,⁶ L. Favart,⁶ A. Grebenyuk,⁶ A. K. Kalsi,⁶ J. Luetic,⁶ A. Popov,⁶ N. Postiau,⁶ E. Starling,⁶ L. Thomas,⁶ C. Vander Velde,⁶ P. Vanlaer,⁶ D. Vannerom,⁶ Q. Wang,⁶ T. Cornelis,⁷ D. Dobur,⁷ I. Khvastunov,^{7,c} C. Roskas,⁷ D. Trocino,⁷ M. Tytgat,⁷ W. Verbeke,⁷ B. Vermassen,⁷ M. Vit,⁷ N. Zaganidis,⁷ O. Bondu,⁸ G. Bruno,⁸ C. Caputo,⁸ P. David,⁸ C. Delaere,⁸ M. Delcourt,⁸ A. Giammanco,⁸ G. Krintiras,⁸ V. Lemaître,⁸ A. Magitteri,⁸ K. Piotrkowski,⁸ J. Prisciandaro,⁸ A. Saggio,⁸ M. Vidal Marono,⁸ P. Vischia,⁸ J. Zobec,⁸ F. L. Alves,⁹ G. A. Alves,⁹ G. Correia Silva,⁹ C. Hensel,⁹ A. Moraes,⁹ P. Rebello Teles,⁹ E. Belchior Batista Das Chagas,¹⁰ W. Carvalho,¹⁰ J. Chinellato,^{10,d} E. Coelho,¹⁰ E. M. Da Costa,¹⁰ G. G. Da Silva,^{10,e} D. De Jesus Damiao,¹⁰ C. De Oliveira Martins,¹⁰ S. Fonseca De Souza,¹⁰ L. M. Huertas Guativa,¹⁰ H. Malbouisson,¹⁰ J. Martins,¹⁰ D. Matos Figueiredo,¹⁰ M. Medina Jaime,^{10,f} M. Melo De Almeida,¹⁰ C. Mora Herrera,¹⁰ L. Mundim,¹⁰ H. Nogima,¹⁰ W. L. Prado Da Silva,¹⁰ L. J. Sanchez Rosas,¹⁰ A. Santoro,¹⁰ A. Sznajder,¹⁰ M. Thiel,¹⁰ E. J. Tonelli Manganote,^{10,d} F. Torres Da Silva De Araujo,¹⁰ A. Vilela Pereira,¹⁰ S. Ahuja,^{11a} C. A. Bernardes,^{11a} L. Calligaris,^{11a} D. De Souza Lemos,^{11a} T. R. Fernandez Perez Tomei,^{11a} E. M. Gregores,^{11a,11b} P. G. Mercadante,^{11a,11b} S. F. Novaes,^{11a} Sandra S. Padula,^{11a} A. Aleksandrov,¹² G. Antchev,¹² R. Hadjiiska,¹² P. Iaydjiev,¹² A. Marinov,¹² M. Misheva,¹² M. Rodozov,¹² M. Shopova,¹² G. Sultanov,¹² A. Dimitrov,¹³ L. Litov,¹³ B. Pavlov,¹³ P. Petkov,¹³ W. Fang,^{14,g} X. Gao,^{14,g} L. Yuan,¹⁴ M. Ahmad,¹⁵ G. M. Chen,¹⁵ H. S. Chen,¹⁵ M. Chen,¹⁵ C. H. Jiang,¹⁵ D. Leggat,¹⁵ H. Liao,¹⁵ Z. Liu,¹⁵ S. M. Shaheen,^{15,h} A. Spiezia,¹⁵ J. Tao,¹⁵ E. Yazgan,¹⁵ H. Zhang,¹⁵ S. Zhang,^{15,h} J. Zhao,¹⁵ A. Agapitos,¹⁶ Y. Ban,¹⁶ G. Chen,¹⁶ A. Levin,¹⁶ J. Li,¹⁶ L. Li,¹⁶ Q. Li,¹⁶ Y. Mao,¹⁶ S. J. Qian,¹⁶ D. Wang,¹⁶ Y. Wang,¹⁷ C. Avila,¹⁸ A. Cabrera,¹⁸ L. F. Chaparro Sierra,¹⁸ C. Florez,¹⁸ C. F. González Hernández,¹⁸ M. A. Segura Delgado,¹⁸ J. D. Ruiz Alvarez,¹⁹ D. Giljanović,²⁰ N. Godinovic,²⁰ D. Lelas,²⁰ I. Puljak,²⁰ T. Sculac,²⁰ Z. Antunovic,²¹ M. Kovac,²¹ V. Brigljevic,²² S. Ceci,²² D. Ferencek,²² K. Kadija,²² B. Mesic,²² M. Roguljic,²² A. Starodumov,^{22,i} T. Susa,²² M. W. Ather,²³ A. Attikis,²³

E. Erodotou,²³ A. Ioannou,²³ M. Kolosova,²³ S. Konstantinou,²³ G. Mavromanolakis,²³ J. Mousa,²³ C. Nicolaou,²³ F. Ptochos,²³ P. A. Razis,²³ H. Rykaczewski,²³ D. Tsiakkouri,²³ M. Finger,^{24,j} M. Finger Jr.,^{24,j} A. Kveton,²⁴ J. Tomsa,²⁴ E. Ayala,²⁵ E. Carrera Jarrin,²⁶ Y. Assran,^{27,k,l} S. Elgammal,^{27,k} S. Bhowmik,²⁸ A. Carvalho Antunes De Oliveira,²⁸ R. K. Dewanjee,²⁸ K. Ehattaht,²⁸ M. Kadastik,²⁸ M. Raidal,²⁸ C. Veelken,²⁸ P. Eerola,²⁹ L. Forthomme,²⁹ H. Kirschenmann,²⁹ K. Osterberg,²⁹ J. Pekkanen,²⁹ M. Voutilainen,²⁹ F. Garcia,³⁰ J. Havukainen,³⁰ J. K. Heikkilä,³⁰ T. Järvinen,³⁰ V. Karimäki,³⁰ R. Kinnunen,³⁰ T. Lampén,³⁰ K. Lassila-Perini,³⁰ S. Laurila,³⁰ S. Lehti,³⁰ T. Lindén,³⁰ P. Luukka,³⁰ T. Mäenpää,³⁰ H. Siikonen,³⁰ E. Tuominen,³⁰ J. Tuominiemi,³⁰ T. Tuuva,³¹ M. Besancon,³² F. Couderc,³² M. Dejardin,³² D. Denegri,³² B. Fabbro,³² J. L. Faure,³² F. Ferri,³² S. Ganjour,³² A. Givernaud,³² P. Gras,³² G. Hamel de Monchenault,³² P. Jarry,³² C. Leloup,³² E. Locci,³² J. Malcles,³² J. Rander,³² A. Rosowsky,³² M. Ö. Sahin,³² A. Savoy-Navarro,^{32,m} M. Titov,³² C. Amendola,³³ F. Beaudette,³³ P. Busson,³³ C. Charlot,³³ B. Diab,³³ R. Granier de Cassagnac,³³ I. Kucher,³³ A. Lobanov,³³ C. Martin Perez,³³ M. Nguyen,³³ C. Ochando,³³ P. Paganini,³³ J. Rembser,³³ R. Salerno,³³ J. B. Sauvan,³³ Y. Sirois,³³ A. Zabi,³³ A. Zghiche,³³ J.-L. Agram,^{34,n} J. Andrea,³⁴ D. Bloch,³⁴ G. Bourgatte,³⁴ J.-M. Brom,³⁴ E. C. Chabert,³⁴ C. Collard,³⁴ E. Conte,^{34,n} J.-C. Fontaine,^{34,n} D. Gelé,³⁴ U. Goerlach,³⁴ M. Jansová,³⁴ A.-C. Le Bihan,³⁴ N. Tonon,³⁴ P. Van Hove,³⁴ S. Gadrat,³⁵ S. Beauceron,³⁶ C. Bernet,³⁶ G. Boudoul,³⁶ C. Camen,³⁶ N. Chanon,³⁶ R. Chierici,³⁶ D. Contardo,³⁶ P. Depasse,³⁶ H. El Mamouni,³⁶ J. Fay,³⁶ S. Gascon,³⁶ M. Gouzevitch,³⁶ B. Ille,³⁶ Sa. Jain,³⁶ F. Lagarde,³⁶ I. B. Laktineh,³⁶ H. Lattaud,³⁶ M. Lethuillier,³⁶ L. Mirabito,³⁶ S. Perries,³⁶ V. Sordini,³⁶ G. Touquet,³⁶ M. Vander Donckt,³⁶ S. Viret,³⁶ A. Khvedelidze,^{37,j} Z. Tsamalaidze,^{38,j} C. Autermann,³⁹ L. Feld,³⁹ M. K. Kiesel,³⁹ K. Klein,³⁹ M. Lipinski,³⁹ D. Meuser,³⁹ A. Pauls,³⁹ M. Preuten,³⁹ M. P. Rauch,³⁹ C. Schomakers,³⁹ J. Schulz,³⁹ M. Teroerde,³⁹ B. Wittmer,³⁹ A. Albert,⁴⁰ M. Erdmann,⁴⁰ S. Erdweg,⁴⁰ T. Esch,⁴⁰ B. Fischer,⁴⁰ R. Fischer,⁴⁰ S. Ghosh,⁴⁰ T. Hebbeker,⁴⁰ K. Hoepfner,⁴⁰ H. Keller,⁴⁰ L. Mastrolorenzo,⁴⁰ M. Merschmeyer,⁴⁰ A. Meyer,⁴⁰ P. Millet,⁴⁰ G. Mocellin,⁴⁰ S. Mondal,⁴⁰ S. Mukherjee,⁴⁰ D. Noll,⁴⁰ A. Novak,⁴⁰ T. Pook,⁴⁰ A. Pozdnyakov,⁴⁰ T. Quast,⁴⁰ M. Radziej,⁴⁰ Y. Rath,⁴⁰ H. Reithler,⁴⁰ M. Rieger,⁴⁰ A. Schmidt,⁴⁰ S. C. Schuler,⁴⁰ A. Sharma,⁴⁰ S. Thüer,⁴⁰ S. Wiedenbeck,⁴⁰ G. Flügge,⁴¹ O. Hlushchenko,⁴¹ T. Kress,⁴¹ T. Müller,⁴¹ A. Nehr Korn,⁴¹ A. Nowack,⁴¹ C. Pistone,⁴¹ O. Pooth,⁴¹ D. Roy,⁴¹ H. Sert,⁴¹ A. Stahl,^{41,o} M. Aldaya Martin,⁴² C. Asawatangtrakuldee,⁴² P. Asmuss,⁴² I. Babounikau,⁴² H. Bakhshiansohi,⁴² K. Beernaert,⁴² O. Behnke,⁴² U. Behrens,⁴² A. Bermúdez Martínez,⁴² D. Bertsche,⁴² A. A. Bin Anuar,⁴² K. Borras,^{42,p} V. Botta,⁴² A. Campbell,⁴² A. Cardini,⁴² P. Connor,⁴² S. Consuegra Rodríguez,⁴² C. Contreras-Campana,⁴² V. Danilov,⁴² A. De Wit,⁴² M. M. Defranichis,⁴² C. Diez Pardos,⁴² D. Domínguez Damiani,⁴² G. Eckerlin,⁴² D. Eckstein,⁴² T. Eichhorn,⁴² A. Elwood,⁴² E. Eren,⁴² E. Gallo,^{42,q} A. Geiser,⁴² J. M. Grados Luyando,⁴² A. Grohsjean,⁴² M. Guthoff,⁴² M. Haranko,⁴² A. Harb,⁴² N. Z. Jomhari,⁴² H. Jung,⁴² A. Kasem,^{42,p} M. Kasemann,⁴² J. Keaveney,⁴² C. Kleinwort,⁴² J. Knolle,⁴² D. Krücker,⁴² W. Lange,⁴² T. Lenz,⁴² J. Leonard,⁴² J. Lidrych,⁴² K. Lipka,⁴² W. Lohmann,^{42,r} R. Mankel,⁴² I.-A. Melzer-Pellmann,⁴² A. B. Meyer,⁴² M. Meyer,⁴² M. Missiroli,⁴² G. Mittag,⁴² J. Mnich,⁴² A. Mussgiller,⁴² V. Myronenko,⁴² D. Pérez Adán,⁴² S. K. Pflitsch,⁴² D. Pitzl,⁴² A. Raspereza,⁴² A. Saibel,⁴² M. Savitskyi,⁴² V. Scheurer,⁴² P. Schütze,⁴² C. Schwanenberger,⁴² R. Shevchenko,⁴² A. Singh,⁴² H. Tholen,⁴² O. Turkot,⁴² A. Vagnerini,⁴² M. Van De Klundert,⁴² G. P. Van Onsem,⁴² R. Walsh,⁴² Y. Wen,⁴² K. Wichmann,⁴² C. Wissing,⁴² O. Zenaiev,⁴² R. Zlebcik,⁴² R. Aggleton,⁴³ S. Bein,⁴³ L. Benato,⁴³ A. Benecke,⁴³ V. Blobel,⁴³ T. Dreyer,⁴³ A. Ebrahimi,⁴³ A. Fröhlich,⁴³ C. Garbers,⁴³ E. Garutti,⁴³ D. Gonzalez,⁴³ P. Gunnellini,⁴³ J. Haller,⁴³ A. Hinzmann,⁴³ A. Karavdina,⁴³ G. Kasieczka,⁴³ R. Klanner,⁴³ R. Kogler,⁴³ N. Kovalchuk,⁴³ S. Kurz,⁴³ V. Kutzner,⁴³ J. Lange,⁴³ T. Lange,⁴³ A. Malara,⁴³ D. Marconi,⁴³ J. Multhaupt,⁴³ M. Niedziela,⁴³ C. E. N. Niemeyer,⁴³ D. Nowatschin,⁴³ A. Perieanu,⁴³ A. Reimers,⁴³ O. Rieger,⁴³ C. Scharf,⁴³ P. Schleper,⁴³ S. Schumann,⁴³ J. Schwandt,⁴³ J. Sonneveld,⁴³ H. Stadie,⁴³ G. Steinbrück,⁴³ F. M. Stober,⁴³ M. Stöver,⁴³ B. Vormwald,⁴³ I. Zoi,⁴³ M. Akbiyik,⁴⁴ C. Barth,⁴⁴ M. Baselga,⁴⁴ S. Baur,⁴⁴ T. Berger,⁴⁴ E. Butz,⁴⁴ R. Caspart,⁴⁴ T. Chwalek,⁴⁴ W. De Boer,⁴⁴ A. Dierlamm,⁴⁴ K. El Morabit,⁴⁴ N. Faltermann,⁴⁴ M. Giffels,⁴⁴ P. Goldenzweig,⁴⁴ M. A. Harrendorf,⁴⁴ F. Hartmann,^{44,o} U. Husemann,⁴⁴ S. Kudella,⁴⁴ S. Mitra,⁴⁴ M. U. Mozer,⁴⁴ Th. Müller,⁴⁴ M. Musich,⁴⁴ A. Nürnberg,⁴⁴ G. Quast,⁴⁴ K. Rabbertz,⁴⁴ M. Schröder,⁴⁴ I. Shvetsov,⁴⁴ H. J. Simonis,⁴⁴ R. Ulrich,⁴⁴ M. Weber,⁴⁴ C. Wöhrmann,⁴⁴ R. Wolf,⁴⁴ G. Anagnostou,⁴⁵ P. Asenov,⁴⁵ G. Daskalakis,⁴⁵ T. Geralis,⁴⁵ A. Kyriakis,⁴⁵ D. Loukas,⁴⁵ G. Paspalaki,⁴⁵ M. Diamantopoulou,⁴⁶ G. Karathanasis,⁴⁶ P. Kontaxakis,⁴⁶ A. Panagiotou,⁴⁶ I. Papavergou,⁴⁶ N. Saoulidou,⁴⁶ K. Theofilatos,⁴⁶ K. Vellidis,⁴⁶ G. Bakas,⁴⁷ K. Kousouris,⁴⁷ I. Papakrivopoulos,⁴⁷ G. Tsipolitis,⁴⁷ I. Evangelou,⁴⁸ C. Foudas,⁴⁸ P. Gianneios,⁴⁸ P. Katsoulis,⁴⁸ P. Kokkas,⁴⁸ S. Mallios,⁴⁸ K. Manitaras,⁴⁸ N. Manthos,⁴⁸ I. Papadopoulos,⁴⁸ E. Paradas,⁴⁸ J. Strologas,⁴⁸ F. A. Triantis,⁴⁸ D. Tsitsonis,⁴⁸ M. Bartók,^{49,s} M. Csanad,⁴⁹ P. Major,⁴⁹ K. Mandal,⁴⁹ A. Mehta,⁴⁹ M. I. Nagy,⁴⁹ G. Pasztor,⁴⁹ O. Surányi,⁴⁹ G. I. Veres,⁴⁹ G. Bencze,⁵⁰ C. Hajdu,⁵⁰ D. Horvath,^{50,t} Á. Hunyadi,⁵⁰ F. Sikler,⁵⁰ T. Á. Vámi,⁵⁰ V. Veszpremi,⁵⁰ G. Vesztergombi,^{50,au} N. Beni,⁵¹

S. Czellar,⁵¹ J. Karancsi,^{51,s} A. Makovec,⁵¹ J. Molnar,⁵¹ Z. Szillasi,⁵¹ P. Raics,⁵² D. Teyssier,⁵² Z. L. Trocsanyi,⁵² B. Ujvari,⁵² T. F. Csorgo,⁵³ W. J. Metzger,⁵³ F. Nemes,⁵³ T. Novak,⁵³ S. Choudhury,⁵⁴ J. R. Komaragiri,⁵⁴ P. C. Tiwari,⁵⁴ S. Bahinipati,^{55,v} C. Kar,⁵⁵ P. Mal,⁵⁵ V. K. Muraleedharan Nair Bindhu,⁵⁵ A. Nayak,^{55,w} S. Roy Chowdhury,⁵⁵ D. K. Sahoo,^{55,v} S. K. Swain,⁵⁵ S. Bansal,⁵⁶ S. B. Beri,⁵⁶ V. Bhatnagar,⁵⁶ S. Chauhan,⁵⁶ R. Chawla,⁵⁶ N. Dhingra,⁵⁶ R. Gupta,⁵⁶ A. Kaur,⁵⁶ M. Kaur,⁵⁶ S. Kaur,⁵⁶ P. Kumari,⁵⁶ M. Lohan,⁵⁶ M. Meena,⁵⁶ K. Sandeep,⁵⁶ S. Sharma,⁵⁶ J. B. Singh,⁵⁶ A. K. Viridi,⁵⁶ G. Walia,⁵⁶ A. Bhardwaj,⁵⁷ B. C. Choudhary,⁵⁷ R. B. Garg,⁵⁷ M. Gola,⁵⁷ S. Keshri,⁵⁷ Ashok Kumar,⁵⁷ S. Malhotra,⁵⁷ M. Naimuddin,⁵⁷ P. Priyanka,⁵⁷ K. Ranjan,⁵⁷ Aashaq Shah,⁵⁷ R. Sharma,⁵⁷ R. Bhardwaj,^{58,x} M. Bharti,^{58,x} R. Bhattacharya,⁵⁸ S. Bhattacharya,⁵⁸ U. Bhawandeep,^{58,x} D. Bhowmik,⁵⁸ S. Dey,⁵⁸ S. Dutta,⁵⁸ S. Ghosh,⁵⁸ M. Maity,^{58,y} K. Mondal,⁵⁸ S. Nandan,⁵⁸ A. Purohit,⁵⁸ P. K. Rout,⁵⁸ A. Roy,⁵⁸ G. Saha,⁵⁸ S. Sarkar,⁵⁸ T. Sarkar,^{58,y} M. Sharan,⁵⁸ B. Singh,^{58,x} S. Thakur,^{58,x} P. K. Behera,⁵⁹ P. Kalbhor,⁵⁹ A. Muhammad,⁵⁹ P. R. Pujahari,⁵⁹ A. Sharma,⁵⁹ A. K. Sikdar,⁵⁹ R. Chudasama,⁶⁰ D. Dutta,⁶⁰ V. Jha,⁶⁰ V. Kumar,⁶⁰ D. K. Mishra,⁶⁰ P. K. Netrakanti,⁶⁰ L. M. Pant,⁶⁰ P. Shukla,⁶⁰ T. Aziz,⁶¹ M. A. Bhat,⁶¹ S. Dugad,⁶¹ G. B. Mohanty,⁶¹ N. Sur,⁶¹ Ravindra Kumar Verma,⁶¹ S. Banerjee,⁶² S. Bhattacharya,⁶² S. Chatterjee,⁶² P. Das,⁶² M. Guchait,⁶² S. Karmakar,⁶² S. Kumar,⁶² G. Majumder,⁶² K. Mazumdar,⁶² N. Sahoo,⁶² S. Sawant,⁶² S. Chauhan,⁶³ S. Dube,⁶³ V. Hegde,⁶³ A. Kapoor,⁶³ K. Kothekar,⁶³ S. Pandey,⁶³ A. Rane,⁶³ A. Rastogi,⁶³ S. Sharma,⁶³ S. Chenarani,^{64,z} E. Eskandari Tadavani,⁶⁴ S. M. Etesami,^{64,z} M. Khakzad,⁶⁴ M. Mohammadi Najafabadi,⁶⁴ M. Naseri,⁶⁴ F. Rezaei Hosseinabadi,⁶⁴ B. Safarzadeh,^{64,aa} M. Felcini,⁶⁵ M. Grunewald,⁶⁵ M. Abbrescia,^{66a,66b} C. Calabria,^{66a,66b} A. Colaleo,^{66a} D. Creanza,^{66a,66c} L. Cristella,^{66a,66b} N. De Filippis,^{66a,66c} M. De Palma,^{66a,66b} A. Di Florio,^{66a,66b} L. Fiore,^{66a} A. Gelmi,^{66a,66b} G. Iaselli,^{66a,66c} M. Ince,^{66a,66b} S. Lezki,^{66a,66b} G. Maggi,^{66a,66c} M. Maggi,^{66a} G. Miniello,^{66a,66b} S. My,^{66a,66b} S. Nuzzo,^{66a,66b} A. Pompili,^{66a,66b} G. Pugliese,^{66a,66c} R. Radogna,^{66a} A. Ranieri,^{66a} G. Selvaggi,^{66a,66b} L. Silvestris,^{66a} R. Venditti,^{66a} P. Verwilligen,^{66a} G. Abbiendi,^{67a} C. Battilana,^{67a,67b} D. Bonacorsi,^{67a,67b} L. Borgonovi,^{67a,67b} S. Braibant-Giacomelli,^{67a,67b} R. Campanini,^{67a,67b} P. Capiluppi,^{67a,67b} A. Castro,^{67a,67b} F. R. Cavallo,^{67a} C. Ciocca,^{67a} G. Codispoti,^{67a,67b} M. Cuffiani,^{67a,67b} G. M. Dallavalle,^{67a} F. Fabbri,^{67a} A. Fanfani,^{67a,67b} E. Fontanesi,^{67a} P. Giacomelli,^{67a} C. Grandi,^{67a} L. Guiducci,^{67a,67b} F. Iemmi,^{67a,67b} S. Lo Meo,^{67a,bb} S. Marcellini,^{67a} G. Masetti,^{67a} F. L. Navarria,^{67a,67b} A. Perrotta,^{67a} F. Primavera,^{67a,67b} A. M. Rossi,^{67a,67b} T. Rovelli,^{67a,67b} G. P. Siroli,^{67a,67b} N. Tosi,^{67a} S. Albergo,^{68a,68b,cc} S. Costa,^{68a,68b} A. Di Mattia,^{68a} R. Potenza,^{68a,68b} A. Tricomi,^{68a,68b,cc} C. Tuve,^{68a,68b} G. Barbagli,^{69a} R. Ceccarelli,^{69a} K. Chatterjee,^{69a,69b} V. Ciulli,^{69a,69b} C. Civinini,^{69a} R. D'Alessandro,^{69a,69b} E. Focardi,^{69a,69b} G. Latino,^{69a} P. Lenzi,^{69a,69b} M. Meschini,^{69a} S. Paoletti,^{69a} L. Russo,^{69a,dd} G. Sguazzoni,^{69a} D. Strom,^{69a} L. Viliani,^{69a} L. Benussi,⁷⁰ S. Bianco,⁷⁰ F. Fabbri,⁷⁰ D. Piccolo,⁷⁰ M. Bozzo,^{71a,71b} F. Ferro,^{71a} R. Mulargia,^{71a,71b} E. Robutti,^{71a} S. Tosi,^{71a,71b} A. Benaglia,^{72a} A. Beschi,^{72a,72b} F. Brivio,^{72a,72b} V. Ciriolo,^{72a,72b,o} S. Di Guida,^{72a,72b,o} M. E. Dinardo,^{72a,72b} P. Dini,^{72a} S. Fiorendi,^{72a,72b} S. Gennai,^{72a} A. Ghezzi,^{72a,72b} P. Govoni,^{72a,72b} L. Guzzi,^{72a,72b} M. Malberti,^{72a} S. Malvezzi,^{72a} D. Menasce,^{72a} F. Monti,^{72a,72b} L. Moroni,^{72a} G. Ortona,^{72a,72b} M. Paganoni,^{72a,72b} D. Pedrini,^{72a} S. Ragazzi,^{72a,72b} T. Tabarelli de Fatis,^{72a,72b} D. Zuolo,^{72a,72b} S. Buontempo,^{73a} N. Cavallo,^{73a,73c} A. De Iorio,^{73a,73b} A. Di Crescenzo,^{73a,73b} F. Fabozzi,^{73a,73c} F. Fienga,^{73a} G. Galati,^{73a} A. O. M. Iorio,^{73a,73b} L. Lista,^{73a,73b} S. Meola,^{73a,73d,o} P. Paolucci,^{73a,o} B. Rossi,^{73a} C. Sciacca,^{73a,73b} E. Voevodina,^{73a,73b} P. Azzi,^{74a} N. Bacchetta,^{74a} D. Bisello,^{74a,74b} A. Boletti,^{74a,74b} A. Bragagnolo,^{74a} R. Carlin,^{74a,74b} P. Checchia,^{74a} M. Dall'Osso,^{74a,74b} P. De Castro Manzano,^{74a} T. Dorigo,^{74a} U. Dosselli,^{74a} F. Gasparini,^{74a,74b} U. Gasparini,^{74a,74b} A. Gozzelino,^{74a} S. Y. Hoh,^{74a} P. Lujan,^{74a} M. Margoni,^{74a,74b} A. T. Meneguzzo,^{74a,74b} J. Pazzini,^{74a,74b} M. Presilla,^{74a,74b} P. Ronchese,^{74a,74b} R. Rossin,^{74a,74b} F. Simonetto,^{74a,74b} A. Tiko,^{74a} M. Tosi,^{74a,74b} M. Zanetti,^{74a,74b} P. Zotto,^{74a,74b} G. Zumerle,^{74a,74b} A. Braghieri,^{75a} P. Montagna,^{75a,75b} S. P. Ratti,^{75a,75b} V. Re,^{75a} M. Ressegotti,^{75a,75b} C. Riccardi,^{75a,75b} P. Salvini,^{75a} I. Vai,^{75a,75b} P. Vitulo,^{75a,75b} M. Biasini,^{76a,76b} G. M. Bilei,^{76a} C. Cecchi,^{76a,76b} D. Ciangottini,^{76a,76b} L. Fanò,^{76a,76b} P. Lariccia,^{76a,76b} R. Leonardi,^{76a,76b} E. Manoni,^{76a} G. Mantovani,^{76a,76b} V. Mariani,^{76a,76b} M. Menichelli,^{76a} A. Rossi,^{76a,76b} A. Santocchia,^{76a,76b} D. Spiga,^{76a} K. Androsov,^{77a} P. Azzurri,^{77a} G. Bagliesi,^{77a} V. Bertacchi,^{77a,77c} L. Bianchini,^{77a} T. Boccali,^{77a} R. Castaldi,^{77a} M. A. Ciocci,^{77a,77b} R. Dell'Orso,^{77a} G. Fedi,^{77a} F. Fiori,^{77a,77c} L. Giannini,^{77a,77c} A. Giassi,^{77a} M. T. Grippo,^{77a} F. Ligabue,^{77a,77c} E. Manca,^{77a,77c} G. Mandorli,^{77a,77c} A. Messineo,^{77a,77b} F. Palla,^{77a} A. Rizzi,^{77a,77b} G. Rolandi,^{77a,ee} A. Scribano,^{77a} P. Spagnolo,^{77a} R. Tenchini,^{77a} G. Tonelli,^{77a,77b} N. Turini,^{77a} A. Venturi,^{77a} P. G. Verdini,^{77a} F. Cavallari,^{78a} M. Cipriani,^{78a,78b} D. Del Re,^{78a,78b} E. Di Marco,^{78a,78b} M. Diemoz,^{78a} S. Gelli,^{78a,78b} E. Longo,^{78a,78b} B. Marzocchi,^{78a,78b} P. Meridiani,^{78a} G. Organtini,^{78a,78b} F. Pandolfi,^{78a} R. Paramatti,^{78a,78b} F. Preiato,^{78a,78b} C. Quaranta,^{78a,78b} S. Rahatlou,^{78a,78b} C. Rovelli,^{78a} F. Santanastasio,^{78a,78b} L. Soffi,^{78a,78b} N. Amapane,^{79a,79b} R. Arcidiacono,^{79a,79c} S. Argiro,^{79a,79b} M. Arneodo,^{79a,79c} N. Bartosik,^{79a} R. Bellan,^{79a,79b} C. Biino,^{79a} A. Cappati,^{79a,79b} N. Cartiglia,^{79a} F. Cenna,^{79a,79b} S. Cometti,^{79a} M. Costa,^{79a,79b} R. Covarelli,^{79a,79b}

N. Demaria,^{79a} B. Kiani,^{79a,79b} C. Mariotti,^{79a} S. Maselli,^{79a} E. Migliore,^{79a,79b} V. Monaco,^{79a,79b} E. Monteil,^{79a,79b} M. Monteno,^{79a} M. M. Obertino,^{79a,79b} L. Pacher,^{79a,79b} N. Pastrone,^{79a} M. Pelliccioni,^{79a} G. L. Pinna Angioni,^{79a,79b} A. Romero,^{79a,79b} M. Ruspa,^{79a,79c} R. Sacchi,^{79a,79b} R. Salvatico,^{79a,79b} K. Shchelina,^{79a,79b} V. Sola,^{79a} A. Solano,^{79a,79b} D. Soldi,^{79a,79b} A. Staiano,^{79a} S. Belforte,^{80a} V. Candelise,^{80a,80b} M. Casarsa,^{80a} F. Cossutti,^{80a} A. Da Rold,^{80a,80b} G. Della Ricca,^{80a,80b} F. Vazzoler,^{80a,80b} A. Zanetti,^{80a} B. Kim,⁸¹ D. H. Kim,⁸¹ G. N. Kim,⁸¹ M. S. Kim,⁸¹ J. Lee,⁸¹ S. W. Lee,⁸¹ C. S. Moon,⁸¹ Y. D. Oh,⁸¹ S. I. Pak,⁸¹ S. Sekmen,⁸¹ D. C. Son,⁸¹ Y. C. Yang,⁸¹ H. Kim,⁸² D. H. Moon,⁸² G. Oh,⁸² B. Francois,⁸³ T. J. Kim,⁸³ J. Park,⁸³ S. Cho,⁸⁴ S. Choi,⁸⁴ Y. Go,⁸⁴ D. Gyun,⁸⁴ S. Ha,⁸⁴ B. Hong,⁸⁴ Y. Jo,⁸⁴ K. Lee,⁸⁴ K. S. Lee,⁸⁴ S. Lee,⁸⁴ J. Lim,⁸⁴ J. Park,⁸⁴ S. K. Park,⁸⁴ Y. Roh,⁸⁴ J. Goh,⁸⁵ H. S. Kim,⁸⁶ J. Almond,⁸⁷ J. H. Bhyun,⁸⁷ J. Choi,⁸⁷ S. Jeon,⁸⁷ J. Kim,⁸⁷ J. S. Kim,⁸⁷ H. Lee,⁸⁷ K. Lee,⁸⁷ S. Lee,⁸⁷ K. Nam,⁸⁷ S. B. Oh,⁸⁷ B. C. Radburn-Smith,⁸⁷ S. h. Seo,⁸⁷ U. K. Yang,⁸⁷ H. D. Yoo,⁸⁷ I. Yoon,⁸⁷ G. B. Yu,⁸⁷ D. Jeon,⁸⁸ H. Kim,⁸⁸ J. H. Kim,⁸⁸ J. S. H. Lee,⁸⁸ I. C. Park,⁸⁸ I. Watson,⁸⁸ Y. Choi,⁸⁹ C. Hwang,⁸⁹ Y. Jeong,⁸⁹ J. Lee,⁸⁹ Y. Lee,⁸⁹ I. Yu,⁸⁹ V. Veckalns,^{90,ff} V. Dudenias,⁹¹ A. Juodagalvis,⁹¹ J. Vaitkus,⁹¹ Z. A. Ibrahim,⁹² F. Mohamad Idris,^{92,gg} W. A. T. Wan Abdullah,⁹² M. N. Yusli,⁹² Z. Zolkapli,⁹² J. F. Benitez,⁹³ A. Castaneda Hernandez,⁹³ J. A. Murillo Quijada,⁹³ L. Valencia Palomo,⁹³ H. Castilla-Valdez,⁹⁴ E. De La Cruz-Burelo,⁹⁴ M. C. Duran-Osuna,⁹⁴ I. Heredia-De La Cruz,^{94,hh} R. Lopez-Fernandez,⁹⁴ R. I. Rabadan-Trejo,⁹⁴ G. Ramirez-Sanchez,⁹⁴ R. Reyes-Almanza,⁹⁴ A. Sanchez-Hernandez,⁹⁴ S. Carrillo Moreno,⁹⁵ C. Oropeza Barrera,⁹⁵ M. Ramirez-Garcia,⁹⁵ F. Vazquez Valencia,⁹⁵ J. Eysermans,⁹⁶ I. Pedraza,⁹⁶ H. A. Salazar Ibarquen,⁹⁶ C. Uribe Estrada,⁹⁶ A. Morelos Pineda,⁹⁷ N. Raicevic,⁹⁸ D. Krofcheck,⁹⁹ S. Bheesette,¹⁰⁰ P. H. Butler,¹⁰⁰ A. Ahmad,¹⁰¹ M. Ahmad,¹⁰¹ Q. Hassan,¹⁰¹ H. R. Hoorani,¹⁰¹ W. A. Khan,¹⁰¹ M. A. Shah,¹⁰¹ M. Shoaib,¹⁰¹ M. Waqas,¹⁰¹ V. Avati,¹⁰² L. Grzanka,¹⁰² M. Malawski,¹⁰² H. Bialkowska,¹⁰³ M. Bluj,¹⁰³ B. Boimska,¹⁰³ M. Górski,¹⁰³ M. Kazana,¹⁰³ M. Szleper,¹⁰³ P. Zalewski,¹⁰³ K. Bunkowski,¹⁰⁴ A. Byszuk,^{104,ii} K. Doroba,¹⁰⁴ A. Kalinowski,¹⁰⁴ M. Konecki,¹⁰⁴ J. Krolikowski,¹⁰⁴ M. Misiura,¹⁰⁴ M. Olszewski,¹⁰⁴ A. Pyskir,¹⁰⁴ M. Walczak,¹⁰⁴ M. Araujo,¹⁰⁵ P. Bargassa,¹⁰⁵ D. Bastos,¹⁰⁵ A. Di Francesco,¹⁰⁵ P. Faccioli,¹⁰⁵ B. Galinhas,¹⁰⁵ M. Gallinaro,¹⁰⁵ J. Hollar,¹⁰⁵ N. Leonardo,¹⁰⁵ J. Seixas,¹⁰⁵ G. Strong,¹⁰⁵ O. Toldaiev,¹⁰⁵ J. Varela,¹⁰⁵ S. Afanasiev,¹⁰⁶ P. Bunin,¹⁰⁶ M. Gavrilenko,¹⁰⁶ I. Golutvin,¹⁰⁶ I. Gorbunov,¹⁰⁶ A. Kamenev,¹⁰⁶ V. Karjavine,¹⁰⁶ A. Lanev,¹⁰⁶ A. Malakhov,¹⁰⁶ V. Matveev,^{106,jj,kk} P. Moiseuz,¹⁰⁶ V. Palichik,¹⁰⁶ V. Perelygin,¹⁰⁶ M. Savina,¹⁰⁶ S. Shmatov,¹⁰⁶ S. Shulha,¹⁰⁶ N. Skatchkov,¹⁰⁶ V. Smirnov,¹⁰⁶ N. Voytishin,¹⁰⁶ A. Zarubin,¹⁰⁶ L. Chtchypounov,¹⁰⁷ V. Golovtsov,¹⁰⁷ Y. Ivanov,¹⁰⁷ V. Kim,^{107,ll} E. Kuznetsova,^{107,mm} P. Levchenko,¹⁰⁷ V. Murzin,¹⁰⁷ V. Oreshkin,¹⁰⁷ I. Smirnov,¹⁰⁷ D. Sosnov,¹⁰⁷ V. Sulimov,¹⁰⁷ L. Uvarov,¹⁰⁷ A. Vorobyev,¹⁰⁷ Yu. Andreev,¹⁰⁸ A. Dermenev,¹⁰⁸ S. Gninenko,¹⁰⁸ N. Golubev,¹⁰⁸ A. Karneyeu,¹⁰⁸ M. Kirsanov,¹⁰⁸ N. Krasnikov,¹⁰⁸ A. Pashenkov,¹⁰⁸ D. Tlisov,¹⁰⁸ A. Toropin,¹⁰⁸ V. Epshteyn,¹⁰⁹ V. Gavrilov,¹⁰⁹ N. Lychkovskaya,¹⁰⁹ A. Nikitenko,^{109,i} V. Popov,¹⁰⁹ I. Pozdnyakov,¹⁰⁹ G. Safronov,¹⁰⁹ A. Spiridonov,¹⁰⁹ A. Stepenov,¹⁰⁹ M. Toms,¹⁰⁹ E. Vlasov,¹⁰⁹ A. Zhokin,¹⁰⁹ T. Aushev,¹¹⁰ R. Chistov,^{111,nn} M. Danilov,^{111,nn} P. Parygin,¹¹¹ E. Tarkovskii,¹¹¹ V. Andreev,¹¹² M. Azarkin,¹¹² I. Dremin,^{112,kk} M. Kirakosyan,¹¹² A. Terkulov,¹¹² A. Baskakov,¹¹³ A. Belyaev,¹¹³ E. Boos,¹¹³ V. Bunichev,¹¹³ M. Dubinin,^{113,oo} L. Dudko,¹¹³ A. Gribushin,¹¹³ V. Klyukhin,¹¹³ O. Kodolova,¹¹³ I. Lokhtin,¹¹³ S. Obraztsov,¹¹³ M. Perfilov,¹¹³ V. Savrin,¹¹³ A. Barnyakov,^{114,pp} V. Blinov,^{114,pp} T. Dimova,^{114,pp} L. Kardapoltsev,^{114,pp} Y. Skovpen,^{114,pp} I. Azhgirey,¹¹⁵ I. Bayshev,¹¹⁵ S. Bitioukov,¹¹⁵ V. Kachanov,¹¹⁵ D. Konstantinov,¹¹⁵ P. Mandrik,¹¹⁵ V. Petrov,¹¹⁵ R. Ryutin,¹¹⁵ S. Slabospitskii,¹¹⁵ A. Sobol,¹¹⁵ S. Troshin,¹¹⁵ N. Tyurin,¹¹⁵ A. Uzunian,¹¹⁵ A. Volkov,¹¹⁵ A. Babaev,¹¹⁶ A. Iuzhakov,¹¹⁶ V. Okhotnikov,¹¹⁶ V. Borchsh,¹¹⁷ V. Ivanchenko,¹¹⁷ E. Tcherniaev,¹¹⁷ P. Adzic,^{118,qq} P. Cirkovic,¹¹⁸ D. Devetak,¹¹⁸ M. Dordevic,¹¹⁸ P. Milenovic,^{118,rr} J. Milosevic,¹¹⁸ M. Stojanovic,¹¹⁸ M. Aguilar-Benitez,¹¹⁹ J. Alcaraz Maestre,¹¹⁹ A. Álvarez Fernández,¹¹⁹ I. Bachiller,¹¹⁹ M. Barrio Luna,¹¹⁹ J. A. Brochero Cifuentes,¹¹⁹ C. A. Carrillo Montoya,¹¹⁹ M. Cepeda,¹¹⁹ M. Cerrada,¹¹⁹ N. Colino,¹¹⁹ B. De La Cruz,¹¹⁹ A. Delgado Peris,¹¹⁹ C. Fernandez Bedoya,¹¹⁹ J. P. Fernández Ramos,¹¹⁹ J. Flix,¹¹⁹ M. C. Fouz,¹¹⁹ O. Gonzalez Lopez,¹¹⁹ S. Goy Lopez,¹¹⁹ J. M. Hernandez,¹¹⁹ M. I. Josa,¹¹⁹ D. Moran,¹¹⁹ Á. Navarro Tobar,¹¹⁹ A. Pérez-Calero Yzquierdo,¹¹⁹ J. Puerta Pelayo,¹¹⁹ I. Redondo,¹¹⁹ L. Romero,¹¹⁹ S. Sánchez Navas,¹¹⁹ M. S. Soares,¹¹⁹ A. Triossi,¹¹⁹ C. Willmott,¹¹⁹ C. Albajar,¹²⁰ J. F. de Trocóniz,¹²⁰ J. Cuevas,¹²¹ C. Erice,¹²¹ J. Fernandez Menendez,¹²¹ S. Folgueras,¹²¹ I. Gonzalez Caballero,¹²¹ J. R. González Fernández,¹²¹ E. Palencia Cortezon,¹²¹ V. Rodríguez Bouza,¹²¹ S. Sanchez Cruz,¹²¹ J. M. Vizán Garcia,¹²¹ I. J. Cabrillo,¹²² A. Calderon,¹²² B. Chazin Quero,¹²² J. Duarte Campderros,¹²² M. Fernandez,¹²² P. J. Fernández Manteca,¹²² A. García Alonso,¹²² G. Gomez,¹²² C. Martinez Rivero,¹²² P. Martinez Ruiz del Arbol,¹²² F. Matorras,¹²² J. Piedra Gomez,¹²² C. Prieels,¹²² T. Rodrigo,¹²² A. Ruiz-Jimeno,¹²² L. Scodellaro,¹²² N. Trevisani,¹²² I. Vila,¹²² K. Malagalage,¹²³ W. G. D. Dharmaratna,¹²⁴ N. Wickramage,¹²⁴ D. Abbaneo,¹²⁵ B. Akgun,¹²⁵ E. Auffray,¹²⁵ G. Auzinger,¹²⁵ J. Baechler,¹²⁵ P. Baillon,¹²⁵ A. H. Ball,¹²⁵ D. Barney,¹²⁵ J. Bendavid,¹²⁵ M. Bianco,¹²⁵ A. Bocci,¹²⁵ E. Bossini,¹²⁵ C. Botta,¹²⁵

E. Brondolin,¹²⁵ T. Camporesi,¹²⁵ A. Caratelli,¹²⁵ G. Cerminara,¹²⁵ E. Chapon,¹²⁵ G. Cucciati,¹²⁵ D. d'Enterria,¹²⁵
A. Dabrowski,¹²⁵ N. Daci,¹²⁵ V. Daponte,¹²⁵ A. David,¹²⁵ A. De Roeck,¹²⁵ N. Deelen,¹²⁵ M. Deile,¹²⁵ M. Dobson,¹²⁵
M. Dünser,¹²⁵ N. Dupont,¹²⁵ A. Elliott-Peisert,¹²⁵ F. Fallavollita,^{125,ss} D. Fasanella,¹²⁵ G. Franzoni,¹²⁵ J. Fulcher,¹²⁵
W. Funk,¹²⁵ S. Giani,¹²⁵ D. Gigi,¹²⁵ A. Gilbert,¹²⁵ K. Gill,¹²⁵ F. Glege,¹²⁵ M. Gruchala,¹²⁵ M. Guillaud,¹²⁵ D. Gulhan,¹²⁵
J. Hegeman,¹²⁵ C. Heidegger,¹²⁵ Y. Iiyama,¹²⁵ V. Innocente,¹²⁵ A. Jafari,¹²⁵ P. Janot,¹²⁵ O. Karacheban,^{125,r} J. Kaspar,¹²⁵
J. Kieseler,¹²⁵ M. Krammer,^{125,b} C. Lange,¹²⁵ P. Lecoq,¹²⁵ C. Lourenço,¹²⁵ L. Malgeri,¹²⁵ M. Mannelli,¹²⁵ A. Massironi,¹²⁵
F. Meijers,¹²⁵ J. A. Merlin,¹²⁵ S. Mersi,¹²⁵ E. Meschi,¹²⁵ F. Moortgat,¹²⁵ M. Mulders,¹²⁵ J. Ngadiuba,¹²⁵ S. Nourbakhsh,¹²⁵
S. Orfanelli,¹²⁵ L. Orsini,¹²⁵ F. Pantaleo,^{125,o} L. Pape,¹²⁵ E. Perez,¹²⁵ M. Peruzzi,¹²⁵ A. Petrilli,¹²⁵ G. Petrucciani,¹²⁵
A. Pfeiffer,¹²⁵ M. Pierini,¹²⁵ F. M. Pitters,¹²⁵ M. Quinto,¹²⁵ D. Rabady,¹²⁵ A. Racz,¹²⁵ M. Rovere,¹²⁵ H. Sakulin,¹²⁵
C. Schäfer,¹²⁵ C. Schwick,¹²⁵ M. Selvaggi,¹²⁵ A. Sharma,¹²⁵ P. Silva,¹²⁵ W. Snoeys,¹²⁵ P. Sphicas,^{125,tt} A. Stakia,¹²⁵
J. Steggemann,¹²⁵ V. R. Tavolaro,¹²⁵ D. Treille,¹²⁵ A. Tsirou,¹²⁵ A. Vartak,¹²⁵ M. Verzetti,¹²⁵ W. D. Zeuner,¹²⁵
L. Caminada,^{126,uu} K. Deiters,¹²⁶ W. Erdmann,¹²⁶ R. Horisberger,¹²⁶ Q. Ingram,¹²⁶ H. C. Kaestli,¹²⁶ D. Kotlinski,¹²⁶
U. Langenegger,¹²⁶ T. Rohe,¹²⁶ S. A. Wiederkehr,¹²⁶ M. Backhaus,¹²⁷ P. Berger,¹²⁷ N. Chernyavskaya,¹²⁷ G. Dissertori,¹²⁷
M. Dittmar,¹²⁷ M. Donegà,¹²⁷ C. Dorfer,¹²⁷ T. A. Gómez Espinosa,¹²⁷ C. Grab,¹²⁷ D. Hits,¹²⁷ T. Klijnsma,¹²⁷
W. Lustermaun,¹²⁷ R. A. Manzoni,¹²⁷ M. Marionneau,¹²⁷ M. T. Meinhard,¹²⁷ F. Micheli,¹²⁷ P. Musella,¹²⁷
F. Nessi-Tedaldi,¹²⁷ F. Pauss,¹²⁷ G. Perrin,¹²⁷ L. Perrozzi,¹²⁷ S. Pigazzini,¹²⁷ M. Reichmann,¹²⁷ C. Reissel,¹²⁷
T. Reitspiess,¹²⁷ D. Ruini,¹²⁷ D. A. Sanz Becerra,¹²⁷ M. Schönenberger,¹²⁷ L. Shchutska,¹²⁷ M. L. Vesterbacka Olsson,¹²⁷
R. Wallny,¹²⁷ D. H. Zhu,¹²⁷ T. K. Aarrestad,¹²⁸ C. Amsler,^{128,vv} D. Brzhechko,¹²⁸ M. F. Canelli,¹²⁸ A. De Cosa,¹²⁸
R. Del Burgo,¹²⁸ S. Donato,¹²⁸ C. Galloni,¹²⁸ B. Kilminster,¹²⁸ S. Leontsinis,¹²⁸ V. M. Mikuni,¹²⁸ I. Neutelings,¹²⁸
G. Rauco,¹²⁸ P. Robmann,¹²⁸ D. Salerno,¹²⁸ K. Schweiger,¹²⁸ C. Seitz,¹²⁸ Y. Takahashi,¹²⁸ S. Wertz,¹²⁸ A. Zucchetta,¹²⁸
T. H. Doan,¹²⁹ C. M. Kuo,¹²⁹ W. Lin,¹²⁹ S. S. Yu,¹²⁹ P. Chang,¹³⁰ Y. Chao,¹³⁰ K. F. Chen,¹³⁰ P. H. Chen,¹³⁰ W.-S. Hou,¹³⁰
Y. y. Li,¹³⁰ R.-S. Lu,¹³⁰ E. Paganis,¹³⁰ A. Psallidas,¹³⁰ A. Steen,¹³⁰ B. Asavapibhop,¹³¹ N. Srimanobhas,¹³¹
N. Suwonjandee,¹³¹ A. Bat,¹³² F. Boran,¹³² S. Cerci,^{132,ww} S. Damarseckin,^{132,xx} Z. S. Demiroglu,¹³² F. Dolek,¹³²
C. Dozen,¹³² I. Dumanoglu,¹³² G. Gokbulut,¹³² Emine Gurpinar Guler,^{132,yy} Y. Guler,¹³² I. Hos,^{132,zz} C. Isik,¹³²
E. E. Kangal,^{132,aaa} O. Kara,¹³² A. Kayis Topaksu,¹³² U. Kiminsu,¹³² M. Oglakci,¹³² G. Onengut,¹³² K. Ozdemir,^{132,bbb}
S. Ozturk,^{132,ccc} A. E. Simsek,¹³² D. Sunar Cerci,^{132,ww} U. G. Tok,¹³² S. Turkcapar,¹³² I. S. Zorbakir,¹³² C. Zorbilmez,¹³²
B. Isildak,^{133,ddd} G. Karapinar,^{133,eee} M. Yalvac,¹³³ I. O. Atakisi,¹³⁴ E. Gülmez,¹³⁴ M. Kaya,^{134,fff} O. Kaya,^{134,ggg}
B. Kaynak,¹³⁴ Ö. Özçelik,¹³⁴ S. Ozkorucuklu,^{134,hhh} S. Tekten,¹³⁴ E. A. Yetkin,^{134,iii} A. Cakir,¹³⁵ Y. Komurcu,¹³⁵ S. Sen,^{135,jjj}
B. Grynyov,¹³⁶ L. Levchuk,¹³⁷ F. Ball,¹³⁸ E. Bhal,¹³⁸ S. Bologna,¹³⁸ J. J. Brooke,¹³⁸ D. Burns,¹³⁸ E. Clement,¹³⁸
D. Cussans,¹³⁸ O. Davignon,¹³⁸ H. Flacher,¹³⁸ J. Goldstein,¹³⁸ G. P. Heath,¹³⁸ H. F. Heath,¹³⁸ L. Kreczko,¹³⁸
S. Paramesvaran,¹³⁸ B. Penning,¹³⁸ T. Sakuma,¹³⁸ S. Seif El Nasr-Storey,¹³⁸ D. Smith,¹³⁸ V. J. Smith,¹³⁸ J. Taylor,¹³⁸
A. Titterton,¹³⁸ K. W. Bell,¹³⁹ A. Belyaev,^{139,kkk} C. Brew,¹³⁹ R. M. Brown,¹³⁹ D. Cieri,¹³⁹ D. J. A. Cockerill,¹³⁹
J. A. Coughlan,¹³⁹ K. Harder,¹³⁹ S. Harper,¹³⁹ J. Linacre,¹³⁹ K. Manolopoulos,¹³⁹ D. M. Newbold,^{139,lll} E. Olaiya,¹³⁹
D. Petyt,¹³⁹ T. Reis,¹³⁹ T. Schuh,¹³⁹ C. H. Shepherd-Themistocleous,¹³⁹ A. Thea,¹³⁹ I. R. Tomalin,¹³⁹ T. Williams,¹³⁹
W. J. Womersley,¹³⁹ R. Bainbridge,¹⁴⁰ P. Bloch,¹⁴⁰ J. Borg,¹⁴⁰ S. Breeze,¹⁴⁰ O. Buchmuller,¹⁴⁰ A. Bundock,¹⁴⁰
Gurpreet Singh CHAHAL,^{140,mmm} D. Colling,¹⁴⁰ P. Dauncey,¹⁴⁰ G. Davies,¹⁴⁰ M. Della Negra,¹⁴⁰ R. Di Maria,¹⁴⁰
P. Everaerts,¹⁴⁰ G. Hall,¹⁴⁰ G. Iles,¹⁴⁰ T. James,¹⁴⁰ M. Komm,¹⁴⁰ C. Laner,¹⁴⁰ L. Lyons,¹⁴⁰ A.-M. Magnan,¹⁴⁰ S. Malik,¹⁴⁰
A. Martelli,¹⁴⁰ V. Milosevic,¹⁴⁰ J. Nash,^{140,nnn} V. Palladino,¹⁴⁰ M. Pesaresi,¹⁴⁰ D. M. Raymond,¹⁴⁰ A. Richards,¹⁴⁰
A. Rose,¹⁴⁰ E. Scott,¹⁴⁰ C. Seez,¹⁴⁰ A. Shtipliyski,¹⁴⁰ M. Stoye,¹⁴⁰ T. Strebler,¹⁴⁰ S. Summers,¹⁴⁰ A. Tapper,¹⁴⁰ K. Uchida,¹⁴⁰
T. Virdee,^{140,o} N. Wardle,¹⁴⁰ D. Winterbottom,¹⁴⁰ J. Wright,¹⁴⁰ A. G. Zecchinelli,¹⁴⁰ S. C. Zenz,¹⁴⁰ J. E. Cole,¹⁴¹
P. R. Hobson,¹⁴¹ A. Khan,¹⁴¹ P. Kyberd,¹⁴¹ C. K. Mackay,¹⁴¹ A. Morton,¹⁴¹ I. D. Reid,¹⁴¹ L. Teodorescu,¹⁴¹ S. Zahid,¹⁴¹
K. Call,¹⁴² J. Dittmann,¹⁴² K. Hatakeyama,¹⁴² C. Madrid,¹⁴² B. McMaster,¹⁴² N. Pastika,¹⁴² C. Smith,¹⁴² R. Bartek,¹⁴³
A. Dominguez,¹⁴³ R. Uniyal,¹⁴³ A. Buccilli,¹⁴⁴ S. I. Cooper,¹⁴⁴ C. Henderson,¹⁴⁴ P. Rumerio,¹⁴⁴ C. West,¹⁴⁴ D. Arcaro,¹⁴⁵
T. Bose,¹⁴⁵ Z. Demiragli,¹⁴⁵ D. Gastler,¹⁴⁵ S. Girgis,¹⁴⁵ D. Pinna,¹⁴⁵ C. Richardson,¹⁴⁵ J. Rohlf,¹⁴⁵ D. Sperka,¹⁴⁵ I. Suarez,¹⁴⁵
L. Sulak,¹⁴⁵ D. Zou,¹⁴⁵ G. Benelli,¹⁴⁶ B. Burkley,¹⁴⁶ X. Coubez,¹⁴⁶ D. Cutts,¹⁴⁶ M. Hadley,¹⁴⁶ J. Hakala,¹⁴⁶ U. Heintz,¹⁴⁶
J. M. Hogan,^{146,ooo} K. H. M. Kwok,¹⁴⁶ E. Laird,¹⁴⁶ G. Landsberg,¹⁴⁶ J. Lee,¹⁴⁶ Z. Mao,¹⁴⁶ M. Narain,¹⁴⁶ S. Sagir,^{146,ppp}
R. Syarif,¹⁴⁶ E. Usai,¹⁴⁶ D. Yu,¹⁴⁶ R. Band,¹⁴⁷ C. Brainerd,¹⁴⁷ R. Breedon,¹⁴⁷ M. Calderon De La Barca Sanchez,¹⁴⁷
M. Chertok,¹⁴⁷ J. Conway,¹⁴⁷ R. Conway,¹⁴⁷ P. T. Cox,¹⁴⁷ R. Erbacher,¹⁴⁷ C. Flores,¹⁴⁷ G. Funk,¹⁴⁷ F. Jensen,¹⁴⁷ W. Ko,¹⁴⁷
O. Kukral,¹⁴⁷ R. Lander,¹⁴⁷ M. Mulhearn,¹⁴⁷ D. Pellett,¹⁴⁷ J. Pilot,¹⁴⁷ M. Shi,¹⁴⁷ D. Stolp,¹⁴⁷ D. Taylor,¹⁴⁷ K. Tos,¹⁴⁷

M. Tripathi,¹⁴⁷ Z. Wang,¹⁴⁷ F. Zhang,¹⁴⁷ M. Bachtis,¹⁴⁸ C. Bravo,¹⁴⁸ R. Cousins,¹⁴⁸ A. Dasgupta,¹⁴⁸ A. Florent,¹⁴⁸
 J. Hauser,¹⁴⁸ M. Ignatenko,¹⁴⁸ N. Mccoll,¹⁴⁸ S. Regnard,¹⁴⁸ D. Saltzberg,¹⁴⁸ C. Schnaible,¹⁴⁸ V. Valuev,¹⁴⁸ K. Burt,¹⁴⁹
 R. Clare,¹⁴⁹ J. W. Gary,¹⁴⁹ S. M. A. Ghiasi Shirazi,¹⁴⁹ G. Hanson,¹⁴⁹ G. Karapostoli,¹⁴⁹ E. Kennedy,¹⁴⁹ O. R. Long,¹⁴⁹
 M. Olmedo Negrete,¹⁴⁹ M. I. Paneva,¹⁴⁹ W. Si,¹⁴⁹ L. Wang,¹⁴⁹ H. Wei,¹⁴⁹ S. Wimpenny,¹⁴⁹ B. R. Yates,¹⁴⁹ Y. Zhang,¹⁴⁹
 J. G. Branson,¹⁵⁰ P. Chang,¹⁵⁰ S. Cittolin,¹⁵⁰ M. Derdzinski,¹⁵⁰ R. Gerosa,¹⁵⁰ D. Gilbert,¹⁵⁰ B. Hashemi,¹⁵⁰ D. Klein,¹⁵⁰
 V. Krutelyov,¹⁵⁰ J. Letts,¹⁵⁰ M. Masciovecchio,¹⁵⁰ S. May,¹⁵⁰ S. Padhi,¹⁵⁰ M. Pieri,¹⁵⁰ V. Sharma,¹⁵⁰ M. Tadel,¹⁵⁰
 F. Würthwein,¹⁵⁰ A. Yagil,¹⁵⁰ G. Zevi Della Porta,¹⁵⁰ N. Amin,¹⁵¹ R. Bhandari,¹⁵¹ C. Campagnari,¹⁵¹ M. Citron,¹⁵¹
 V. Dutta,¹⁵¹ M. Franco Sevilla,¹⁵¹ L. Gouskos,¹⁵¹ J. Incandela,¹⁵¹ B. Marsh,¹⁵¹ H. Mei,¹⁵¹ A. Ovcharova,¹⁵¹ H. Qu,¹⁵¹
 J. Richman,¹⁵¹ U. Sarica,¹⁵¹ D. Stuart,¹⁵¹ S. Wang,¹⁵¹ J. Yoo,¹⁵¹ D. Anderson,¹⁵² A. Bornheim,¹⁵² J. M. Lawhorn,¹⁵²
 N. Lu,¹⁵² H. B. Newman,¹⁵² T. Q. Nguyen,¹⁵² J. Pata,¹⁵² M. Spiropulu,¹⁵² J. R. Vlimant,¹⁵² S. Xie,¹⁵² Z. Zhang,¹⁵²
 R. Y. Zhu,¹⁵² M. B. Andrews,¹⁵³ T. Ferguson,¹⁵³ T. Mudholkar,¹⁵³ M. Paulini,¹⁵³ M. Sun,¹⁵³ I. Vorobiev,¹⁵³ M. Weinberg,¹⁵³
 J. P. Cumalat,¹⁵⁴ W. T. Ford,¹⁵⁴ A. Johnson,¹⁵⁴ E. MacDonald,¹⁵⁴ T. Mulholland,¹⁵⁴ R. Patel,¹⁵⁴ A. Perloff,¹⁵⁴ K. Stenson,¹⁵⁴
 K. A. Ulmer,¹⁵⁴ S. R. Wagner,¹⁵⁴ J. Alexander,¹⁵⁵ J. Chaves,¹⁵⁵ Y. Cheng,¹⁵⁵ J. Chu,¹⁵⁵ A. Datta,¹⁵⁵ A. Frankenthal,¹⁵⁵
 K. McDermott,¹⁵⁵ N. Mirman,¹⁵⁵ J. R. Patterson,¹⁵⁵ D. Quach,¹⁵⁵ A. Rinkevicius,¹⁵⁵ A. Ryd,¹⁵⁵ S. M. Tan,¹⁵⁵ Z. Tao,¹⁵⁵
 J. Thom,¹⁵⁵ P. Wittich,¹⁵⁵ M. Zientek,¹⁵⁵ S. Abdullin,¹⁵⁶ M. Albrow,¹⁵⁶ M. Alyari,¹⁵⁶ G. Apollinari,¹⁵⁶ A. Apresyan,¹⁵⁶
 A. Apyan,¹⁵⁶ S. Banerjee,¹⁵⁶ L. A. T. Bauerick,¹⁵⁶ A. Beretvas,¹⁵⁶ J. Berryhill,¹⁵⁶ P. C. Bhat,¹⁵⁶ K. Burkett,¹⁵⁶
 J. N. Butler,¹⁵⁶ A. Canepa,¹⁵⁶ G. B. Cerati,¹⁵⁶ H. W. K. Cheung,¹⁵⁶ F. Chlebana,¹⁵⁶ M. Cremonesi,¹⁵⁶ J. Duarte,¹⁵⁶
 V. D. Elvira,¹⁵⁶ J. Freeman,¹⁵⁶ Z. Gecse,¹⁵⁶ E. Gottschalk,¹⁵⁶ L. Gray,¹⁵⁶ D. Green,¹⁵⁶ S. Grünendahl,¹⁵⁶ O. Gutsche,¹⁵⁶
 Allison Reinsvold Hall,¹⁵⁶ J. Hanlon,¹⁵⁶ R. M. Harris,¹⁵⁶ S. Hasegawa,¹⁵⁶ R. Heller,¹⁵⁶ J. Hirschauer,¹⁵⁶ Z. Hu,¹⁵⁶
 B. Jayatilaka,¹⁵⁶ S. Jindariani,¹⁵⁶ M. Johnson,¹⁵⁶ U. Joshi,¹⁵⁶ B. Klima,¹⁵⁶ M. J. Kortelainen,¹⁵⁶ B. Kreis,¹⁵⁶ S. Lammel,¹⁵⁶
 J. Lewis,¹⁵⁶ D. Lincoln,¹⁵⁶ R. Lipton,¹⁵⁶ M. Liu,¹⁵⁶ T. Liu,¹⁵⁶ J. Lykken,¹⁵⁶ K. Maeshima,¹⁵⁶ J. M. Marraffino,¹⁵⁶
 D. Mason,¹⁵⁶ P. McBride,¹⁵⁶ P. Merkel,¹⁵⁶ S. Mrenna,¹⁵⁶ S. Nahn,¹⁵⁶ V. O'Dell,¹⁵⁶ V. Papadimitriou,¹⁵⁶ K. Pedro,¹⁵⁶
 C. Pena,¹⁵⁶ G. Rakness,¹⁵⁶ F. Ravera,¹⁵⁶ L. Ristori,¹⁵⁶ B. Schneider,¹⁵⁶ E. Sexton-Kennedy,¹⁵⁶ N. Smith,¹⁵⁶ A. Soha,¹⁵⁶
 W. J. Spalding,¹⁵⁶ L. Spiegel,¹⁵⁶ S. Stoynev,¹⁵⁶ J. Strait,¹⁵⁶ N. Strobbe,¹⁵⁶ L. Taylor,¹⁵⁶ S. Tkaczyk,¹⁵⁶ N. V. Tran,¹⁵⁶
 L. Uplegger,¹⁵⁶ E. W. Vaandering,¹⁵⁶ C. Vernieri,¹⁵⁶ M. Verzocchi,¹⁵⁶ R. Vidal,¹⁵⁶ M. Wang,¹⁵⁶ H. A. Weber,¹⁵⁶ D. Acosta,¹⁵⁷
 P. Avery,¹⁵⁷ P. Bortignon,¹⁵⁷ D. Bourilkov,¹⁵⁷ A. Brinkerhoff,¹⁵⁷ L. Cadamuro,¹⁵⁷ A. Carnes,¹⁵⁷ V. Cherepanov,¹⁵⁷
 D. Curry,¹⁵⁷ F. Errico,¹⁵⁷ R. D. Field,¹⁵⁷ S. V. Gleyzer,¹⁵⁷ B. M. Joshi,¹⁵⁷ M. Kim,¹⁵⁷ J. Konigsberg,¹⁵⁷ A. Korytov,¹⁵⁷
 K. H. Lo,¹⁵⁷ P. Ma,¹⁵⁷ K. Matchev,¹⁵⁷ N. Menendez,¹⁵⁷ G. Mitselmakher,¹⁵⁷ D. Rosenzweig,¹⁵⁷ K. Shi,¹⁵⁷ J. Wang,¹⁵⁷
 S. Wang,¹⁵⁷ X. Zuo,¹⁵⁷ Y. R. Joshi,¹⁵⁸ S. Linn,¹⁵⁸ T. Adams,¹⁵⁹ A. Askew,¹⁵⁹ S. Hagopian,¹⁵⁹ V. Hagopian,¹⁵⁹
 K. F. Johnson,¹⁵⁹ R. Khurana,¹⁵⁹ T. Kolberg,¹⁵⁹ G. Martinez,¹⁵⁹ T. Perry,¹⁵⁹ H. Prosper,¹⁵⁹ C. Schiber,¹⁵⁹ R. Yohay,¹⁵⁹
 M. M. Baarmand,¹⁶⁰ V. Bhopatkar,¹⁶⁰ M. Hohlmann,¹⁶⁰ D. Noonan,¹⁶⁰ M. Rahmani,¹⁶⁰ M. Saunders,¹⁶⁰ F. Yumiceva,¹⁶⁰
 M. R. Adams,¹⁶¹ L. Apanasevich,¹⁶¹ D. Berry,¹⁶¹ R. R. Betts,¹⁶¹ R. Cavanaugh,¹⁶¹ X. Chen,¹⁶¹ S. Dittmer,¹⁶¹
 O. Evdokimov,¹⁶¹ C. E. Gerber,¹⁶¹ D. A. Hangal,¹⁶¹ D. J. Hofman,¹⁶¹ K. Jung,¹⁶¹ C. Mills,¹⁶¹ T. Roy,¹⁶¹ M. B. Tonjes,¹⁶¹
 N. Varelas,¹⁶¹ H. Wang,¹⁶¹ X. Wang,¹⁶¹ Z. Wu,¹⁶¹ J. Zhang,¹⁶¹ M. Alhusseini,¹⁶² B. Bilki,^{162,yy} W. Clarida,¹⁶² K. Dilsiz,^{162,qqq}
 S. Durgut,¹⁶² R. P. Gandrajula,¹⁶² M. Haytmyradov,¹⁶² V. Khristenko,¹⁶² O. K. Köseyan,¹⁶² J.-P. Merlo,¹⁶²
 A. Mestvirishvili,¹⁶² A. Moeller,¹⁶² J. Nachtman,¹⁶² H. Ogul,^{162,rrr} Y. Onel,¹⁶² F. Ozok,^{162,sss} A. Penzo,¹⁶² C. Snyder,¹⁶²
 E. Tiras,¹⁶² J. Wetzel,¹⁶² B. Blumenfeld,¹⁶³ A. Cocoros,¹⁶³ N. Eminizer,¹⁶³ D. Fehling,¹⁶³ L. Feng,¹⁶³ A. V. Gritsan,¹⁶³
 W. T. Hung,¹⁶³ P. Maksimovic,¹⁶³ J. Roskes,¹⁶³ M. Swartz,¹⁶³ M. Xiao,¹⁶³ C. Baldenegro Barrera,¹⁶⁴ P. Baringer,¹⁶⁴
 A. Bean,¹⁶⁴ S. Boren,¹⁶⁴ J. Bowen,¹⁶⁴ A. Bylinkin,¹⁶⁴ T. Isidori,¹⁶⁴ S. Khalil,¹⁶⁴ J. King,¹⁶⁴ A. Kropivnitskaya,¹⁶⁴
 D. Majumder,¹⁶⁴ W. Mcbrayer,¹⁶⁴ N. Minafra,¹⁶⁴ M. Murray,¹⁶⁴ C. Rogan,¹⁶⁴ C. Royon,¹⁶⁴ S. Sanders,¹⁶⁴ E. Schmitz,¹⁶⁴
 J. D. Tapia Takaki,¹⁶⁴ Q. Wang,¹⁶⁴ J. Williams,¹⁶⁴ S. Duric,¹⁶⁵ A. Ivanov,¹⁶⁵ K. Kaadze,¹⁶⁵ D. Kim,¹⁶⁵ Y. Maravin,¹⁶⁵
 D. R. Mendis,¹⁶⁵ T. Mitchell,¹⁶⁵ A. Modak,¹⁶⁵ A. Mohammadi,¹⁶⁵ F. Rebassoo,¹⁶⁶ D. Wright,¹⁶⁶ A. Baden,¹⁶⁷ O. Baron,¹⁶⁷
 A. Belloni,¹⁶⁷ S. C. Eno,¹⁶⁷ Y. Feng,¹⁶⁷ C. Ferraioli,¹⁶⁷ N. J. Hadley,¹⁶⁷ S. Jabeen,¹⁶⁷ G. Y. Jeng,¹⁶⁷ R. G. Kellogg,¹⁶⁷
 J. Kunkle,¹⁶⁷ A. C. Mignerey,¹⁶⁷ S. Nabili,¹⁶⁷ F. Ricci-Tam,¹⁶⁷ M. Seidel,¹⁶⁷ Y. H. Shin,¹⁶⁷ A. Skuja,¹⁶⁷ S. C. Tonwar,¹⁶⁷
 K. Wong,¹⁶⁷ D. Abercrombie,¹⁶⁸ B. Allen,¹⁶⁸ A. Baty,¹⁶⁸ R. Bi,¹⁶⁸ S. Brandt,¹⁶⁸ W. Busza,¹⁶⁸ I. A. Cali,¹⁶⁸ M. D'Alfonso,¹⁶⁸
 G. Gomez Ceballos,¹⁶⁸ M. Goncharov,¹⁶⁸ P. Harris,¹⁶⁸ D. Hsu,¹⁶⁸ M. Hu,¹⁶⁸ M. Klute,¹⁶⁸ D. Kovalskyi,¹⁶⁸ Y.-J. Lee,¹⁶⁸
 P. D. Luckey,¹⁶⁸ B. Maier,¹⁶⁸ A. C. Marini,¹⁶⁸ C. McGinn,¹⁶⁸ C. Mironov,¹⁶⁸ S. Narayanan,¹⁶⁸ X. Niu,¹⁶⁸ C. Paus,¹⁶⁸
 D. Rankin,¹⁶⁸ C. Roland,¹⁶⁸ G. Roland,¹⁶⁸ Z. Shi,¹⁶⁸ G. S. F. Stephans,¹⁶⁸ K. Sumorok,¹⁶⁸ K. Tatar,¹⁶⁸ D. Velicanu,¹⁶⁸
 J. Wang,¹⁶⁸ T. W. Wang,¹⁶⁸ B. Wyslouch,¹⁶⁸ A. C. Benvenuti,^{169,a} R. M. Chatterjee,¹⁶⁹ A. Evans,¹⁶⁹ S. Guts,¹⁶⁹ P. Hansen,¹⁶⁹

J. Hiltbrand,¹⁶⁹ S. Kalafut,¹⁶⁹ Y. Kubota,¹⁶⁹ Z. Lesko,¹⁶⁹ J. Mans,¹⁶⁹ R. Rusack,¹⁶⁹ M. A. Wadud,¹⁶⁹ J. G. Acosta,¹⁷⁰ S. Oliveros,¹⁷⁰ E. Avdeeva,¹⁷¹ K. Bloom,¹⁷¹ D. R. Claes,¹⁷¹ C. Fangmeier,¹⁷¹ L. Finco,¹⁷¹ F. Golf,¹⁷¹ R. Gonzalez Suarez,¹⁷¹ R. Kamalieddin,¹⁷¹ I. Kravchenko,¹⁷¹ J. E. Siado,¹⁷¹ G. R. Snow,¹⁷¹ B. Stieger,¹⁷¹ A. Godshalk,¹⁷² C. Harrington,¹⁷² I. Iashvili,¹⁷² A. Kharchilava,¹⁷² C. Mclean,¹⁷² D. Nguyen,¹⁷² A. Parker,¹⁷² S. Rappoccio,¹⁷² B. Roozbahani,¹⁷² G. Alverson,¹⁷³ E. Barberis,¹⁷³ C. Freer,¹⁷³ Y. Haddad,¹⁷³ A. Hortiangtham,¹⁷³ G. Madigan,¹⁷³ D. M. Morse,¹⁷³ T. Orimoto,¹⁷³ L. Skinnari,¹⁷³ A. Tishelman-Charny,¹⁷³ T. Wamorkar,¹⁷³ B. Wang,¹⁷³ A. Wisecarver,¹⁷³ D. Wood,¹⁷³ S. Bhattacharya,¹⁷⁴ J. Bueghly,¹⁷⁴ T. Gunter,¹⁷⁴ K. A. Hahn,¹⁷⁴ N. Odell,¹⁷⁴ M. H. Schmitt,¹⁷⁴ K. Sung,¹⁷⁴ M. Trovato,¹⁷⁴ M. Velasco,¹⁷⁴ R. Bucci,¹⁷⁵ N. Dev,¹⁷⁵ R. Goldouzian,¹⁷⁵ M. Hildreth,¹⁷⁵ K. Hurtado Anampa,¹⁷⁵ C. Jessop,¹⁷⁵ D. J. Karmgard,¹⁷⁵ K. Lannon,¹⁷⁵ W. Li,¹⁷⁵ N. Loukas,¹⁷⁵ N. Marinelli,¹⁷⁵ I. Mcalister,¹⁷⁵ F. Meng,¹⁷⁵ C. Mueller,¹⁷⁵ Y. Musienko,¹⁷⁵ M. Planer,¹⁷⁵ R. Ruchti,¹⁷⁵ P. Siddireddy,¹⁷⁵ G. Smith,¹⁷⁵ S. Taroni,¹⁷⁵ M. Wayne,¹⁷⁵ A. Wightman,¹⁷⁵ M. Wolf,¹⁷⁵ A. Woodard,¹⁷⁵ J. Alimena,¹⁷⁶ B. Bylsma,¹⁷⁶ L. S. Durkin,¹⁷⁶ S. Flowers,¹⁷⁶ B. Francis,¹⁷⁶ C. Hill,¹⁷⁶ W. Ji,¹⁷⁶ A. Lefeld,¹⁷⁶ T. Y. Ling,¹⁷⁶ B. L. Winer,¹⁷⁶ S. Cooperstein,¹⁷⁷ G. Dezoort,¹⁷⁷ P. Elmer,¹⁷⁷ J. Hardenbrook,¹⁷⁷ N. Haubrich,¹⁷⁷ S. Higginbotham,¹⁷⁷ A. Kalogeropoulos,¹⁷⁷ S. Kwan,¹⁷⁷ D. Lange,¹⁷⁷ M. T. Lucchini,¹⁷⁷ J. Luo,¹⁷⁷ D. Marlow,¹⁷⁷ K. Mei,¹⁷⁷ I. Ojalvo,¹⁷⁷ J. Olsen,¹⁷⁷ C. Palmer,¹⁷⁷ P. Piroué,¹⁷⁷ J. Salfeld-Nebgen,¹⁷⁷ D. Stickland,¹⁷⁷ C. Tully,¹⁷⁷ Z. Wang,¹⁷⁷ S. Malik,¹⁷⁸ S. Norberg,¹⁷⁸ A. Barker,¹⁷⁹ V. E. Barnes,¹⁷⁹ S. Das,¹⁷⁹ L. Gutay,¹⁷⁹ M. Jones,¹⁷⁹ A. W. Jung,¹⁷⁹ A. Khatiwada,¹⁷⁹ B. Mahakud,¹⁷⁹ D. H. Miller,¹⁷⁹ G. Negro,¹⁷⁹ N. Neumeister,¹⁷⁹ C. C. Peng,¹⁷⁹ S. Piperov,¹⁷⁹ H. Qiu,¹⁷⁹ J. F. Schulte,¹⁷⁹ J. Sun,¹⁷⁹ F. Wang,¹⁷⁹ R. Xiao,¹⁷⁹ W. Xie,¹⁷⁹ T. Cheng,¹⁸⁰ J. Dolen,¹⁸⁰ N. Parashar,¹⁸⁰ K. M. Ecklund,¹⁸¹ S. Freed,¹⁸¹ F. J. M. Geurts,¹⁸¹ M. Kilpatrick,¹⁸¹ Arun Kumar,¹⁸¹ W. Li,¹⁸¹ B. P. Padley,¹⁸¹ R. Redjimi,¹⁸¹ J. Roberts,¹⁸¹ J. Rorie,¹⁸¹ W. Shi,¹⁸¹ A. G. Stahl Leitner,¹⁸¹ Z. Tu,¹⁸¹ A. Zhang,¹⁸¹ A. Bodek,¹⁸² P. de Barbaro,¹⁸² R. Demina,¹⁸² Y. t. Duh,¹⁸² J. L. Dulemba,¹⁸² C. Fallon,¹⁸² T. Ferbel,¹⁸² M. Galanti,¹⁸² A. Garcia-Bellido,¹⁸² J. Han,¹⁸² O. Hindrichs,¹⁸² A. Khukhunaishvili,¹⁸² E. Ranken,¹⁸² P. Tan,¹⁸² R. Taus,¹⁸² B. Chiarito,¹⁸³ J. P. Chou,¹⁸³ A. Gandrakota,¹⁸³ Y. Gershtein,¹⁸³ E. Halkiadakis,¹⁸³ A. Hart,¹⁸³ M. Heindl,¹⁸³ E. Hughes,¹⁸³ S. Kaplan,¹⁸³ S. Kyriacou,¹⁸³ I. Laflotte,¹⁸³ A. Lath,¹⁸³ R. Montalvo,¹⁸³ K. Nash,¹⁸³ M. Osherson,¹⁸³ H. Saka,¹⁸³ S. Salur,¹⁸³ S. Schnetzer,¹⁸³ D. Sheffield,¹⁸³ S. Somalwar,¹⁸³ R. Stone,¹⁸³ S. Thomas,¹⁸³ P. Thomassen,¹⁸³ H. Acharya,¹⁸⁴ A. G. Delannoy,¹⁸⁴ J. Heideman,¹⁸⁴ G. Riley,¹⁸⁴ S. Spanier,¹⁸⁴ O. Bouhali,¹⁸⁵ A. Celik,¹⁸⁵ M. Dalchenko,¹⁸⁵ M. De Mattia,¹⁸⁵ A. Delgado,¹⁸⁵ S. Dildick,¹⁸⁵ R. Eusebi,¹⁸⁵ J. Gilmore,¹⁸⁵ T. Huang,¹⁸⁵ T. Kamon,¹⁸⁵ S. Luo,¹⁸⁵ D. Marley,¹⁸⁵ R. Mueller,¹⁸⁵ D. Overton,¹⁸⁵ L. Perniè,¹⁸⁵ D. Rathjens,¹⁸⁵ A. Safonov,¹⁸⁵ N. Akchurin,¹⁸⁶ J. Damgov,¹⁸⁶ F. De Guio,¹⁸⁶ S. Kunori,¹⁸⁶ K. Lamichhane,¹⁸⁶ S. W. Lee,¹⁸⁶ T. Mengke,¹⁸⁶ S. Muthumuni,¹⁸⁶ T. Peltola,¹⁸⁶ S. Undleeb,¹⁸⁶ I. Volobouev,¹⁸⁶ Z. Wang,¹⁸⁶ A. Whitbeck,¹⁸⁶ S. Greene,¹⁸⁷ A. Gurrola,¹⁸⁷ R. Janjam,¹⁸⁷ W. Johns,¹⁸⁷ C. Maguire,¹⁸⁷ A. Melo,¹⁸⁷ H. Ni,¹⁸⁷ K. Padeken,¹⁸⁷ F. Romeo,¹⁸⁷ P. Sheldon,¹⁸⁷ S. Tuo,¹⁸⁷ J. Velkovska,¹⁸⁷ M. Verweij,¹⁸⁷ M. W. Arenton,¹⁸⁸ P. Barria,¹⁸⁸ B. Cox,¹⁸⁸ G. Cummings,¹⁸⁸ R. Hirosky,¹⁸⁸ M. Joyce,¹⁸⁸ A. Ledovskoy,¹⁸⁸ C. Neu,¹⁸⁸ B. Tannenwald,¹⁸⁸ Y. Wang,¹⁸⁸ E. Wolfe,¹⁸⁸ F. Xia,¹⁸⁸ R. Harr,¹⁸⁹ P. E. Karchin,¹⁸⁹ N. Poudyal,¹⁸⁹ J. Sturdy,¹⁸⁹ P. Thapa,¹⁸⁹ S. Zaleski,¹⁸⁹ J. Buchanan,¹⁹⁰ C. Caillol,¹⁹⁰ D. Carlsmith,¹⁹⁰ S. Dasu,¹⁹⁰ I. De Bruyn,¹⁹⁰ L. Dodd,¹⁹⁰ B. Gomber,¹⁹⁰ M. Grothe,¹⁹⁰ M. Herndon,¹⁹⁰ A. Hervé,¹⁹⁰ U. Hussain,¹⁹⁰ P. Klabbers,¹⁹⁰ A. Lanaro,¹⁹⁰ K. Long,¹⁹⁰ R. Loveless,¹⁹⁰ T. Ruggles,¹⁹⁰ A. Savin,¹⁹⁰ V. Sharma,¹⁹⁰ W. H. Smith,¹⁹⁰ and N. Woods¹⁹⁰

(CMS Collaboration)

¹*Yerevan Physics Institute, Yerevan, Armenia*

²*Institut für Hochenergiephysik, Wien, Austria*

³*Institute for Nuclear Problems, Minsk, Belarus*

⁴*Universiteit Antwerpen, Antwerpen, Belgium*

⁵*Vrije Universiteit Brussel, Brussel, Belgium*

⁶*Université Libre de Bruxelles, Bruxelles, Belgium*

⁷*Ghent University, Ghent, Belgium*

⁸*Université Catholique de Louvain, Louvain-la-Neuve, Belgium*

⁹*Centro Brasileiro de Pesquisas Físicas, Rio de Janeiro, Brazil*

¹⁰*Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brazil*

^{11a}*Universidade Estadual Paulista, São Paulo, Brazil*

^{11b}*Universidade Federal do ABC, São Paulo, Brazil*

¹²*Institute for Nuclear Research and Nuclear Energy, Bulgarian Academy of Sciences, Sofia, Bulgaria*

¹³*University of Sofia, Sofia, Bulgaria*

- ¹⁴*Beihang University, Beijing, China*
- ¹⁵*Institute of High Energy Physics, Beijing, China*
- ¹⁶*State Key Laboratory of Nuclear Physics and Technology, Peking University, Beijing, China*
- ¹⁷*Tsinghua University, Beijing, China*
- ¹⁸*Universidad de Los Andes, Bogota, Colombia*
- ¹⁹*Universidad de Antioquia, Medellin, Colombia*
- ²⁰*University of Split, Faculty of Electrical Engineering, Mechanical Engineering and Naval Architecture, Split, Croatia*
- ²¹*University of Split, Faculty of Science, Split, Croatia*
- ²²*Institute Rudjer Boskovic, Zagreb, Croatia*
- ²³*University of Cyprus, Nicosia, Cyprus*
- ²⁴*Charles University, Prague, Czech Republic*
- ²⁵*Escuela Politecnica Nacional, Quito, Ecuador*
- ²⁶*Universidad San Francisco de Quito, Quito, Ecuador*
- ²⁷*Academy of Scientific Research and Technology of the Arab Republic of Egypt, Egyptian Network of High Energy Physics, Cairo, Egypt*
- ²⁸*National Institute of Chemical Physics and Biophysics, Tallinn, Estonia*
- ²⁹*Department of Physics, University of Helsinki, Helsinki, Finland*
- ³⁰*Helsinki Institute of Physics, Helsinki, Finland*
- ³¹*Lappeenranta University of Technology, Lappeenranta, Finland*
- ³²*IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette, France*
- ³³*Laboratoire Leprince-Ringuet, Ecole polytechnique, CNRS/IN2P3, Université Paris-Saclay, Palaiseau, France*
- ³⁴*Université de Strasbourg, CNRS, IPHC UMR 7178, Strasbourg, France*
- ³⁵*Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules, CNRS/IN2P3, Villeurbanne, France*
- ³⁶*Université de Lyon, Université Claude Bernard Lyon 1, CNRS-IN2P3, Institut de Physique Nucléaire de Lyon, Villeurbanne, France*
- ³⁷*Georgian Technical University, Tbilisi, Georgia*
- ³⁸*Tbilisi State University, Tbilisi, Georgia*
- ³⁹*RWTH Aachen University, I. Physikalisches Institut, Aachen, Germany*
- ⁴⁰*RWTH Aachen University, III. Physikalisches Institut A, Aachen, Germany*
- ⁴¹*RWTH Aachen University, III. Physikalisches Institut B, Aachen, Germany*
- ⁴²*Deutsches Elektronen-Synchrotron, Hamburg, Germany*
- ⁴³*University of Hamburg, Hamburg, Germany*
- ⁴⁴*Karlsruher Institut fuer Technologie, Karlsruhe, Germany*
- ⁴⁵*Institute of Nuclear and Particle Physics (INPP), NCSR Demokritos, Aghia Paraskevi, Greece*
- ⁴⁶*National and Kapodistrian University of Athens, Athens, Greece*
- ⁴⁷*National Technical University of Athens, Athens, Greece*
- ⁴⁸*University of Ioánnina, Ioánnina, Greece*
- ⁴⁹*MTA-ELTE Lendület CMS Particle and Nuclear Physics Group, Eötvös Loránd University, Budapest, Hungary*
- ⁵⁰*Wigner Research Centre for Physics, Budapest, Hungary*
- ⁵¹*Institute of Nuclear Research ATOMKI, Debrecen, Hungary*
- ⁵²*Institute of Physics, University of Debrecen, Debrecen, Hungary*
- ⁵³*Eszterhazy Karoly University, Karoly Robert Campus, Gyongyos, Hungary*
- ⁵⁴*Indian Institute of Science (IISc), Bangalore, India*
- ⁵⁵*National Institute of Science Education and Research, HBNI, Bhubaneswar, India*
- ⁵⁶*Panjab University, Chandigarh, India*
- ⁵⁷*University of Delhi, Delhi, India*
- ⁵⁸*Saha Institute of Nuclear Physics, HBNI, Kolkata, India*
- ⁵⁹*Indian Institute of Technology Madras, Madras, India*
- ⁶⁰*Bhabha Atomic Research Centre, Mumbai, India*
- ⁶¹*Tata Institute of Fundamental Research-A, Mumbai, India*
- ⁶²*Tata Institute of Fundamental Research-B, Mumbai, India*
- ⁶³*Indian Institute of Science Education and Research (IISER), Pune, India*
- ⁶⁴*Institute for Research in Fundamental Sciences (IPM), Tehran, Iran*
- ⁶⁵*University College Dublin, Dublin, Ireland*
- ^{66a}*INFN Sezione di Bari, Bari, Italy*
- ^{66b}*Università di Bari, Bari, Italy*
- ^{66c}*Politecnico di Bari, Bari, Italy*
- ^{67a}*INFN Sezione di Bologna, Bologna, Italy*
- ^{67b}*Università di Bologna, Bologna, Italy*
- ^{68a}*INFN Sezione di Catania, Catania, Italy*
- ^{68b}*Università di Catania, Catania, Italy*

- ^{69a}INFN Sezione di Firenze, Firenze, Italy
^{69b}Università di Firenze, Firenze, Italy
⁷⁰INFN Laboratori Nazionali di Frascati, Frascati, Italy
^{71a}INFN Sezione di Genova, Genova, Italy
^{71b}Università di Genova, Genova, Italy
^{72a}INFN Sezione di Milano-Bicocca, Milano, Italy
^{72b}Università di Milano-Bicocca, Milano, Italy
^{73a}INFN Sezione di Napoli, Napoli, Italy
^{73b}Università di Napoli 'Federico II', Napoli, Italy
^{73c}Università della Basilicata, Potenza, Italy
^{73d}Università G. Marconi, Roma, Italy
^{74a}INFN Sezione di Padova, Padova, Italy
^{74b}Università di Padova, Padova, Italy
^{74c}Università di Trento, Trento, Italy
^{75a}INFN Sezione di Pavia
^{75b}Università di Pavia
^{76a}INFN Sezione di Perugia, Perugia, Italy
^{76b}Università di Perugia, Perugia, Italy
^{77a}INFN Sezione di Pisa, Pisa, Italy
^{77b}Università di Pisa, Pisa, Italy
^{77c}Scuola Normale Superiore di Pisa, Pisa, Italy
^{78a}INFN Sezione di Roma, Rome, Italy
^{78b}Sapienza Università di Roma, Rome, Italy
^{79a}INFN Sezione di Torino, Torino, Italy
^{79b}Università di Torino, Torino, Italy
^{79c}Università del Piemonte Orientale, Novara, Italy
^{80a}INFN Sezione di Trieste, Trieste, Italy
^{80b}Università di Trieste, Trieste, Italy
⁸¹Kyungpook National University, Daegu, Korea
⁸²Chonnam National University, Institute for Universe and Elementary Particles, Kwangju, Korea
⁸³Hanyang University, Seoul, Korea
⁸⁴Korea University, Seoul, Korea
⁸⁵Kyung Hee University, Department of Physics
⁸⁶Sejong University, Seoul, Korea
⁸⁷Seoul National University, Seoul, Korea
⁸⁸University of Seoul, Seoul, Korea
⁸⁹Sungkyunkwan University, Suwon, Korea
⁹⁰Riga Technical University, Riga, Latvia
⁹¹Vilnius University, Vilnius, Lithuania
⁹²National Centre for Particle Physics, Universiti Malaya, Kuala Lumpur, Malaysia
⁹³Universidad de Sonora (UNISON), Hermosillo, Mexico
⁹⁴Centro de Investigacion y de Estudios Avanzados del IPN, Mexico City, Mexico
⁹⁵Universidad Iberoamericana, Mexico City, Mexico
⁹⁶Benemerita Universidad Autonoma de Puebla, Puebla, Mexico
⁹⁷Universidad Autónoma de San Luis Potosí, San Luis Potosí, Mexico
⁹⁸University of Montenegro, Podgorica, Montenegro
⁹⁹University of Auckland, Auckland, New Zealand
¹⁰⁰University of Canterbury, Christchurch, New Zealand
¹⁰¹National Centre for Physics, Quaid-I-Azam University, Islamabad, Pakistan
¹⁰²AGH University of Science and Technology Faculty of Computer Science, Electronics and Telecommunications, Krakow, Poland
¹⁰³National Centre for Nuclear Research, Swierk, Poland
¹⁰⁴Institute of Experimental Physics, Faculty of Physics, University of Warsaw, Warsaw, Poland
¹⁰⁵Laboratório de Instrumentação e Física Experimental de Partículas, Lisboa, Portugal
¹⁰⁶Joint Institute for Nuclear Research, Dubna, Russia
¹⁰⁷Petersburg Nuclear Physics Institute, Gatchina (St. Petersburg), Russia
¹⁰⁸Institute for Nuclear Research, Moscow, Russia
¹⁰⁹Institute for Theoretical and Experimental Physics named by A.I.Alikhanov of NRC «Kurchatov Institute», Moscow, Russia
¹¹⁰Moscow Institute of Physics and Technology, Moscow, Russia
¹¹¹National Research Nuclear University 'Moscow Engineering Physics Institute' (MEPhI), Moscow, Russia
¹¹²P.N. Lebedev Physical Institute, Moscow, Russia

- ¹¹³*Skobeltsyn Institute of Nuclear Physics, Lomonosov Moscow State University, Moscow, Russia*
¹¹⁴*Novosibirsk State University (NSU), Novosibirsk, Russia*
¹¹⁵*Institute for High Energy Physics of National Research Centre 'Kurchatov Institute', Protvino, Russia*
¹¹⁶*National Research Tomsk Polytechnic University, Tomsk, Russia*
¹¹⁷*Tomsk State University, Tomsk, Russia*
¹¹⁸*University of Belgrade: Faculty of Physics and VINCA Institute of Nuclear Sciences*
¹¹⁹*Centro de Investigaciones Energéticas Medioambientales y Tecnológicas (CIEMAT), Madrid, Spain*
¹²⁰*Universidad Autónoma de Madrid, Madrid, Spain*
¹²¹*Universidad de Oviedo, Oviedo, Spain*
¹²²*Instituto de Física de Cantabria (IFCA), CSIC-Universidad de Cantabria, Santander, Spain*
¹²³*University of Colombo, Colombo, Sri Lanka*
¹²⁴*University of Ruhuna, Department of Physics, Matara, Sri Lanka*
¹²⁵*CERN, European Organization for Nuclear Research, Geneva, Switzerland*
¹²⁶*Paul Scherrer Institut, Villigen, Switzerland*
¹²⁷*ETH Zurich—Institute for Particle Physics and Astrophysics (IPA), Zurich, Switzerland*
¹²⁸*Universität Zürich, Zurich, Switzerland*
¹²⁹*National Central University, Chung-Li, Taiwan*
¹³⁰*National Taiwan University (NTU), Taipei, Taiwan*
¹³¹*Chulalongkorn University, Faculty of Science, Department of Physics, Bangkok, Thailand*
¹³²*Çukurova University, Physics Department, Science and Art Faculty, Adana, Turkey*
¹³³*Middle East Technical University, Physics Department, Ankara, Turkey*
¹³⁴*Bogazici University, Istanbul, Turkey*
¹³⁵*Istanbul Technical University, Istanbul, Turkey*
¹³⁶*Institute for Scintillation Materials of National Academy of Science of Ukraine, Kharkov, Ukraine*
¹³⁷*National Scientific Center, Kharkov Institute of Physics and Technology, Kharkov, Ukraine*
¹³⁸*University of Bristol, Bristol, United Kingdom*
¹³⁹*Rutherford Appleton Laboratory, Didcot, United Kingdom*
¹⁴⁰*Imperial College, London, United Kingdom*
¹⁴¹*Brunel University, Uxbridge, United Kingdom*
¹⁴²*Baylor University, Waco, Texas, USA*
¹⁴³*Catholic University of America, Washington, DC, USA*
¹⁴⁴*The University of Alabama, Tuscaloosa, Alabama, USA*
¹⁴⁵*Boston University, Boston, Massachusetts, USA*
¹⁴⁶*Brown University, Providence, Rhode Island, USA*
¹⁴⁷*University of California, Davis, Davis, California, USA*
¹⁴⁸*University of California, Los Angeles, California, USA*
¹⁴⁹*University of California, Riverside, Riverside, California, USA*
¹⁵⁰*University of California, San Diego, La Jolla, California, USA*
¹⁵¹*University of California, Santa Barbara—Department of Physics, Santa Barbara, California, USA*
¹⁵²*California Institute of Technology, Pasadena, California, USA*
¹⁵³*Carnegie Mellon University, Pittsburgh, Pennsylvania, USA*
¹⁵⁴*University of Colorado Boulder, Boulder, Colorado, USA*
¹⁵⁵*Cornell University, Ithaca, New York, USA*
¹⁵⁶*Fermi National Accelerator Laboratory, Batavia, Illinois, USA*
¹⁵⁷*University of Florida, Gainesville, Florida, USA*
¹⁵⁸*Florida International University, Miami, Florida, USA*
¹⁵⁹*Florida State University, Tallahassee, Florida, USA*
¹⁶⁰*Florida Institute of Technology, Melbourne, Florida, USA*
¹⁶¹*University of Illinois at Chicago (UIC), Chicago, Illinois, USA*
¹⁶²*The University of Iowa, Iowa City, Iowa, USA*
¹⁶³*Johns Hopkins University, Baltimore, Maryland, USA*
¹⁶⁴*The University of Kansas, Lawrence, Kansas, USA*
¹⁶⁵*Kansas State University, Manhattan, Kansas, USA*
¹⁶⁶*Lawrence Livermore National Laboratory, Livermore, California, USA*
¹⁶⁷*University of Maryland, College Park, Maryland, USA*
¹⁶⁸*Massachusetts Institute of Technology, Cambridge, Massachusetts, USA*
¹⁶⁹*University of Minnesota, Minneapolis, Minnesota, USA*
¹⁷⁰*University of Mississippi, Oxford, Mississippi, USA*
¹⁷¹*University of Nebraska-Lincoln, Lincoln, Nebraska, USA*
¹⁷²*State University of New York at Buffalo, Buffalo, New York, USA*

- ¹⁷³*Northeastern University, Boston, Massachusetts, USA*
¹⁷⁴*Northwestern University, Evanston, Illinois, USA*
¹⁷⁵*University of Notre Dame, Notre Dame, Indiana, USA*
¹⁷⁶*The Ohio State University, Columbus, Ohio, USA*
¹⁷⁷*Princeton University, Princeton, New Jersey, USA*
¹⁷⁸*University of Puerto Rico, Mayaguez, Puerto Rico, USA*
¹⁷⁹*Purdue University, West Lafayette, Indiana, USA*
¹⁸⁰*Purdue University Northwest, Hammond, Indiana, USA*
¹⁸¹*Rice University, Houston, Texas, USA*
¹⁸²*University of Rochester, Rochester, New York, USA*
¹⁸³*Rutgers, The State University of New Jersey, Piscataway, New Jersey, USA*
¹⁸⁴*University of Tennessee, Knoxville, Tennessee, USA*
¹⁸⁵*Texas A&M University, College Station, Texas, USA*
¹⁸⁶*Texas Tech University, Lubbock, Texas, USA*
¹⁸⁷*Vanderbilt University, Nashville, Tennessee, USA*
¹⁸⁸*University of Virginia, Charlottesville, Virginia, USA*
¹⁸⁹*Wayne State University, Detroit, Michigan, USA*
¹⁹⁰*University of Wisconsin—Madison, Madison, Wisconsin, USA*

^aDeceased.

^bAlso at Vienna University of Technology, Vienna, Austria.

^cAlso at IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette, France.

^dAlso at Universidade Estadual de Campinas, Campinas, Brazil.

^eAlso at Federal University of Rio Grande do Sul, Porto Alegre, Brazil.

^fAlso at Universidade Federal de Pelotas, Pelotas, Brazil.

^gAlso at Université Libre de Bruxelles, Bruxelles, Belgium.

^hAlso at University of Chinese Academy of Sciences.

ⁱAlso at Institute for Theoretical and Experimental Physics named by A.I.Alikhanov of NRC «Kurchatov Institute», Moscow, Russia.

^jAlso at Joint Institute for Nuclear Research, Dubna, Russia.

^kAlso at British University in Egypt, Cairo, Egypt.

^lAlso at Suez University, Suez, Egypt.

^mAlso at Purdue University, West Lafayette, Indiana, USA.

ⁿAlso at Université de Haute Alsace, Mulhouse, France.

^oAlso at CERN, European Organization for Nuclear Research, Geneva, Switzerland.

^pAlso at RWTH Aachen University, III. Physikalisches Institut A, Aachen, Germany.

^qAlso at University of Hamburg, Hamburg, Germany.

^rAlso at Brandenburg University of Technology, Cottbus, Germany.

^sAlso at Institute of Physics, University of Debrecen, Debrecen, Hungary.

^tAlso at Institute of Nuclear Research ATOMKI, Debrecen, Hungary.

^uAlso at MTA-ELTE Lendület CMS Particle and Nuclear Physics Group, Eötvös Loránd University, Budapest, Hungary.

^vAlso at IIT Bhubaneswar, Bhubaneswar, India.

^wAlso at Institute of Physics, Bhubaneswar, India.

^xAlso at Shoolini University, Solan, India.

^yAlso at University of Visva-Bharati, Santiniketan, India.

^zAlso at Isfahan University of Technology, Isfahan, Iran.

^{aa}Also at Plasma Physics Research Center, Science and Research Branch, Islamic Azad University, Tehran, Iran.

^{bb}Also at Italian National Agency for New Technologies, Energy and Sustainable Economic Development, Bologna, Italy.

^{cc}Also at Centro Siciliano di Fisica Nucleare e di Struttura della Materia.

^{dd}Also at Università degli Studi di Siena, Siena, Italy.

^{ee}Also at Scuola Normale e Sezione dell'INFN, Pisa, Italy.

^{ff}Also at Riga Technical University, Riga, Latvia.

^{gg}Also at Malaysian Nuclear Agency, MOSTI, Kajang, Malaysia.

^{hh}Also at Consejo Nacional de Ciencia y Tecnología, Mexico City, Mexico.

ⁱⁱAlso at Warsaw University of Technology, Institute of Electronic Systems, Warsaw, Poland.

^{jj}Also at Institute for Nuclear Research, Moscow, Russia.

^{kk}Also at National Research Nuclear University 'Moscow Engineering Physics Institute' (MEPhI), Moscow, Russia.

^{ll}Also at St. Petersburg State Polytechnical University, St. Petersburg, Russia.

^{mmm}Also at University of Florida, Gainesville, Florida, USA.

ⁿⁿAlso at P.N. Lebedev Physical Institute, Moscow, Russia.

- ^{oo} Also at California Institute of Technology, Pasadena, California, USA.
- ^{pp} Also at Budker Institute of Nuclear Physics, Novosibirsk, Russia.
- ^{qq} Also at Faculty of Physics, University of Belgrade, Belgrade, Serbia.
- ^{rr} Also at University of Belgrade: Faculty of Physics and VINCA Institute of Nuclear Sciences.
- ^{ss} Also at INFN Sezione di Pavia, Università di Pavia, Pavia, Italy.
- ^{tt} Also at National and Kapodistrian University of Athens, Athens, Greece.
- ^{uu} Also at Universität Zürich, Zurich, Switzerland.
- ^{vv} Also at Stefan Meyer Institute for Subatomic Physics, Vienna, Austria.
- ^{ww} Also at Adiyaman University, Adiyaman, Turkey.
- ^{xx} Also at Sirnak University.
- ^{yy} Also at Beykent University, Istanbul, Turkey.
- ^{zz} Also at Istanbul Aydin University, Istanbul, Turkey.
- ^{aaa} Also at Mersin University, Mersin, Turkey.
- ^{bbb} Also at Piri Reis University, Istanbul, Turkey.
- ^{ccc} Also at Gaziosmanpasa University, Tokat, Turkey.
- ^{ddd} Also at Ozyegin University, Istanbul, Turkey.
- ^{eee} Also at Izmir Institute of Technology, Izmir, Turkey.
- ^{fff} Also at Marmara University, Istanbul, Turkey.
- ^{ggg} Also at Kafkas University, Kars, Turkey.
- ^{hhh} Also at Istanbul University, Istanbul, Turkey.
- ⁱⁱⁱ Also at Istanbul Bilgi University, Istanbul, Turkey.
- ^{jjj} Also at Hacettepe University, Ankara, Turkey.
- ^{kkk} Also at School of Physics and Astronomy, University of Southampton, Southampton, United Kingdom.
- ^{lll} Also at Rutherford Appleton Laboratory, Didcot, United Kingdom.
- ^{mmm} Also at IPPP Durham University.
- ⁿⁿⁿ Also at Monash University, Faculty of Science, Clayton, Australia.
- ^{ooo} Also at Bethel University, St. Paul, Minneapolis, USA.
- ^{ppp} Also at Karamanoğlu Mehmetbey University, Karaman, Turkey.
- ^{qqq} Also at Bingol University, Bingol, Turkey.
- ^{rrr} Also at Sinop University, Sinop, Turkey.
- ^{sss} Also at Mimar Sinan University, Istanbul, Istanbul, Turkey.
- ^{ttt} Also at Texas A&M University at Qatar, Doha, Qatar.
- ^{uuu} Also at Kyungpook National University, Daegu, Korea.
- ^{vvv} Also at University of Hyderabad, Hyderabad, India.